

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sigmaaldrich.nt-rt.ru | | scx@nt-rt.ru

Технические характеристики на растворители ReagentPlus, Vetec, BioReagent, BioUltra, BioXtra, Proligo Reagents КОМПАНИИ **Sigma-Aldrich**

Виды товаров: бутанол, будандиол, бис, хлорбутан, тетрафторборат, пропанол, тетрахлорэтан, гексафтор, дибромэтан, дихлорбензол, 2-дихлорэтан, диметоксиэтан, пропандиол, диоксолан, диоксан, йодпропан, пентанон, ацетон, уксусная кислота, ацетонитрил, бензол, ацетилацетон, бензонитрил, бромбензол, бутил-ацетат, хлорбензол, хлороформ, циклогексан, циклогексанол, циклопентанон, декагидронафталин, оксид дейтерия, дибутиловый эфир, дихлорметан, диэтиловый эфир, метиловый эфир диэтиленгликоля, диизопропиламин, диизопропиловый эфир, диизопропиламин, диметилкарбонат, диметилсульфид, диметилсульфоксид, раствор сукцината, ультрачистая вода без эндотоксинов, спирт этиловый, этанол, ацетат этила, этилацетат, этиленгликоль, монопропиловый эфир этиленгликоля, формамид, глицерин, гептан, гексан, смесь изомеров, раствор гипохлоритной кислоты-d, керосин, изобутилацетат, метанол, метилацетат, метил пивалат, метилциклогексан, минеральное масло, н-декан, диизопропилэтиламин, диметилацетамид, диметилформамид, нитробензол, нитрометан, о-ксилол, октан-d, пентан, петролейный эфир, фосфорная кислота, полиоксиэтанол, пропиональдегид, пропилацетат, пропиленкарбонат, пиридин, резольв-ал, раствор диоксида серы, трет-бутанол, бутилметиловый эфир, тетрагидрофуран, тетраметилсилан, толуол, трибутиламин, трихлоруксусная кислота, триэтиламин, триэтиленгликоль, диметиловый эфир триэтиленгликоля, трифторуксусная кислота и др.

Solvents



We are committed to providing you with the right solvent for your specific application. All our products undergo stringent controls and continuous development to meet your exacting requirements. Our comprehensive portfolio of solvents can be found under three of our Portfolio

- **Solvents for Instrumental Analysis**
- **Solvents for Classical Analysis, Production, and Purification**
- **Solvent for General Chemistry, Chemical Synthesis, Production and Biotech Application**
- **NMR Solvents**
- **Biopharmaceutical and Pharmaceutical Formulation and Production Products**



309443

(±)-1,3-Butanediol

anhydrous, ≥99%



302996

1-Butanol-d₁₀

99 atom % D



900873

1-Butyl-1-methylpyrrolidinium bis(trifluoromethylsulfonyl)imide

>99%, <500 ppm H₂O



900804

1-Butyl-2,3-dimethylimidazolium bis(trifluoromethylsulfonyl)imide

≥99%, H₂O <500 ppm



900802

1-Butyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide

≥99%, H₂O <500 ppm



414255

1-Chlorobutane

anhydrous, 99.5%



125008

1-Chlorobutane

ReagentPlus[®], 99%



34958

1-Chlorobutane

suitable for HPLC, ≥99.8%



126799

1-Dodecanol

reagent grade, 98%



443816

1-Dodecanol

ACS reagent, ≥98.0%



900787

1-Ethyl-3-methylimidazolium acetate

≥98%



900801

1-Ethyl-3-methylimidazolium bis(trifluoromethylsulfonyl)imide

≥99%, H₂O ≤500 ppm



900772

1-Ethyl-3-methylimidazolium tetrafluoroborate

≥99%, <1000 ppm H₂O



900806

1-Methyl-1-propylpiperidinium bis(trifluoromethylsulfonyl)imide

≥99%, H₂O ≤500 ppm



M79603

1-Methyl-2-pyrrolidinone

ReagentPlus[®], 99%



443778

1-Methyl-2-pyrrolidinone

ACS reagent, ≥99.0%



494496

1-Methyl-2-pyrrolidinone

biotech. grade, ≥99.7%



270458

1-Methyl-2-pyrrolidinone

suitable for HPLC, ≥99%



5.89597

1-Methyl-2-pyrrolidinone

anhydrous, 99.5%



5.89585

1-Propanol

anhydrous, 99.7%



82092

1-Propanol

purum, ≥99.0% (GC)



402893

1-Propanol

ACS reagent, ≥99.5%



34871

1-Propanol

suitable for HPLC, ≥99.9%



T7209

1,1,1,2-Tetrachloroethane

ReagentPlus[®], 99%



440671

1,1,1,3,3,3-Hexafluoro-2-propanol-d₂

≥99 atom % D, 99% (CP)



411302

1,1,1,3,3,3-Hexafluoro-2-propanol-OD

98 atom % D



185434

1,1,2,2-Tetrachloroethane

reagent grade, ≥98%



358703

1,1,2,2-Tetrachloroethane-d₂

≥99.5 atom % D



425362

1,2-Dibromoethane-d₄

99 atom % D



5.89571

1,2-Dichlorobenzene

anhydrous, 99%



8.03238

1,2-Dichlorobenzene

for synthesis



331511

1,2-Dichlorobenzene-d₄

98 atom % D



284505

1,2-Dichloroethane

anhydrous, 99.8%



319929

1,2-Dichloroethane

ACS reagent, ≥99.0%



900637

1,2-Dichloroethane

anhydrous, ZerO₂[®], 99.8%



396540

1,2-Dichloroethane-d₄

99 atom % D



E27408

1,2-Dimethoxyethane

ReagentPlus[®], ≥99%, inhibitor-free



307432

1,2-Dimethoxyethane

suitable for HPLC, 99.9%, inhibitor-free



134368

1,2-Propanediol

ReagentPlus[®], 99%



271020

1,3-Dioxolane

anhydrous, contains ~75 ppm BHT as inhibitor, 99.8%



184497

1,3-Dioxolane

ReagentPlus[®], contains ~75 ppm BHT as inhibitor, 99%



296309

1,4-Dioxane

anhydrous, 99.8%, contains ≤25 ppm BHT as stabilizer



676934

1,4-Dioxane

ACS reagent, ≥99.0%



34857

1,4-Dioxane

suitable for HPLC, ≥99.5%



D201863

1,4-Dioxane

ReagentPlus[®], ≥99%, contains ≤25 ppm BHT as stabilizer



360481

1,4-Dioxane

ACS reagent, ≥99.0%, contains ≤25 ppm BHT as stabilizer



33147

1,4-Dioxane

puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., ≥99.5% (GC)



5.89591

1,4-Dioxane

anhydrous, 99.8%



900640

1,4-Dioxane

anhydrous, ZerO₂[®], 99.8%



186406

1,4-Dioxane-d₈

≥99 atom % D



537535

2-(2-Butoxyethoxy)ethyl acetate

≥99.2%



294810

2-Butanol

anhydrous, 99.5%



B85919

2-Butanol

ReagentPlus[®], ≥99%



360473

2-Butanone

ACS reagent, ≥99.0%



34861

2-Butanone

suitable for HPLC, ≥99.7%



34861-M

2-Butanone

suitable for HPLC, ≥99.7%



128082

2-Ethoxyethanol

ReagentPlus[®], 99%



256374

2-Ethoxyethanol

spectrophotometric grade, ≥99%



537683

2-Heptanone

99%



103004

2-Hexanone

reagent grade, 98%

- [377023](#)
2-Iodopropane-d₇
98 atom % D, contains copper as stabilizer

- [284467](#)
2-Methoxyethanol
anhydrous, 99.8%

- [360503](#)
2-Methoxyethanol
contains 50 ppm BHT as stabilizer, ACS reagent, ≥99.3%

- [270482](#)
2-Methoxyethanol
suitable for HPLC, ≥99.9%

- [109886](#)
2-Methoxyethyl acetate
reagent grade, 98%

- [58448](#)
2-Methyl-1-propanol
BioUltra, for molecular biology, ≥99.5% (GC)

- [294829](#)
2-Methyl-1-propanol
anhydrous, 99.5%

- [320048](#)
2-Methyl-1-propanol
ACS reagent, ≥99.0%

- [538132](#)
2-Methyl-1-propanol
99.5%

- [270466](#)
2-Methyl-1-propanol
suitable for HPLC, 99.5%

- [414247](#)
2-Methyltetrahydrofuran
BioRenewable, anhydrous, ≥99.0%, contains 250 ppm BHT as stabilizer

- [673277](#)
2-Methyltetrahydrofuran
BioRenewable, anhydrous, ≥99%, Inhibitor-free

- [900520](#)
2-Methyltetrahydrofuran
anhydrous, contains 250 ppm BHT as stabilizer, ZerO₂[®], ≥99.0%

- [155810](#)
2-Methyltetrahydrofuran
BioRenewable, *ReagentPlus*[®], ≥99.5%, contains 150-400 ppm BHT as stabilizer

- [537748](#)
2-Pentanone
reagent grade, ≥90%

- [471194](#)
2-Pentanone
suitable for HPLC, 99.5%

- [59304](#)
2-Propanol
BioUltra, for molecular biology, ≥99.5% (GC)

- [733458](#)
2-Propanol
electronic grade, 99.999% trace metals basis

- [33539-M](#)
2-Propanol
puriss. p.a., ACS reagent, reagent ISO, reagent Ph. Eur., ≥99.8% (GC)

- [19516](#)
2-Propanol
for molecular biology, BioReagent, ≥99.5%

- [650447](#)
2-Propanol
HPLC Plus, for HPLC, GC, and residue analysis, 99.9%

- [439207](#)
2-Propanol
suitable for HPLC, 99.5%

- [733458](#)
2-Propanol

electronic grade, 99.999% trace metals basis



59304

2-Propanol

BioUltra, for molecular biology, $\geq 99.5\%$ (GC)



5.89584

2-Propanol

anhydrous, 99.5%



19516

2-Propanol

for molecular biology, BioReagent, $\geq 99.5\%$



33539-M

2-Propanol

puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., $\geq 99.8\%$ (GC)



909955

2-Propanol

BioRenewable, *ReagentPlus*[®], $\geq 99.5\%$



59300

2-Propanol

puriss. p.a., ACS reagent, $\geq 99.8\%$ (GC)



33539

2-Propanol

puriss. p.a., ACS reagent, reag. ISO, reag. Ph. Eur., $\geq 99.8\%$ (GC)



24137-M

2-Propanol

puriss., meets analytical specification of Ph. Eur., BP, USP, $\geq 99.5\%$ (GC)



392898

2-Propanol-1,1,1,3,3,3-d₆

99 atom % D



175897

2-Propanol-d₈

99.5 atom % D



804789

2,2,2-Trifluoroethanol-d₃

99 atom % D, 99% (CP)



426237

2,2,2-Trifluoroethanol-OD

99 atom % D



538221

2,2,4-Trimethyl-1,3-pentanediol monoisobutyrate

mixture of isomers, 99%



360511

4-Methyl-2-pentanone

ACS reagent, ≥98.5%



537713

4-Methyl-2-pentanone

≥99%



293261

4-Methyl-2-pentanone

suitable for HPLC, ≥99.5%



537705

5-Methyl-2-hexanone

99%



151777

Acetic acid-d

99 atom % D



151785

Acetic acid-d₄

≥99.5 atom % D



416886

Acetic acid-d₄

≥99.5 atom % D, contains 0.03 % (v/v) TMS



233315

Acetic acid-d₄

≥99.9 atom % D



434531

Acetone-d₆

99.9 atom % D, contains 0.03 % (v/v) TMS



175862

Acetone-d₆

"100%", 99.96 atom % D



151793

Acetone-d₆

99.9 atom % D



444863

Acetone-d₆

99.9 atom % D



454133

Acetone-d₆

99.9 atom % D, contains 1 % (v/v) TMS



CN34892

Acetonitrile

Preparateur, ≥99.9% (GC), Customized plastic drum



CN34891

Acetonitrile

Preparateur, ≥99.9% (GC), One-time steel-plastic (SP) drum



271004

Acetonitrile

anhydrous, 99.8%



00700

Acetonitrile

puriss. p.a., ACS reagent, ≥99.5% (GC)



110086

Acetonitrile

ReagentPlus[®], 99%



34851

Acetonitrile

suitable for HPLC, gradient grade, ≥99.9%



34881

Acetonitrile

suitable for HPLC-GC, ≥99.8% (GC)



34998

Acetonitrile

HPLC Plus, ≥99.9%



439134

Acetonitrile

suitable for HPLC, gradient grade, ≥99.9%



34888

Acetonitrile

for HPLC, for UV, ≥99.9% (GC)



494445

Acetonitrile

biotech. grade, ≥99.93%



733466

Acetonitrile

electronic grade, 99.999% trace metals basis



900667

Acetonitrile

for UHPLC, suitable for mass spectrometry (MS)



900644

Acetonitrile

anhydrous, ZerO₂[®], 99.8%



34881-M

Acetonitrile

suitable for HPLC-GC, ≥99.8% (GC)



60004

Acetonitrile

≥99.5% (GC)



33019

Acetonitrile

puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)



360457

Acetonitrile

ACS reagent, ≥99.5%



34442

Acetonitrile

suitable for DNA synthesis, $\geq 99.9\%$ (GC)



34888-M

Acetonitrile

for HPLC, for UV, $\geq 99.9\%$



151807

Acetonitrile-d₃

≥ 99.8 atom % D



233331

Acetonitrile-d₃

99.8 atom % D, contains 1 % (v/v) TMS



569550

Acetonitrile-d₃

≥ 99.8 atom % D, anhydrous



233323

Acetonitrile-d₃

"100%", 99.96 atom % D



366544

Acetonitrile-d₃

99.8 atom % D, contains 0.03 % (v/v) TMS



P7754

Acetylacetone

ReagentPlus[®], $\geq 99\%$



296295

Anisole

anhydrous, 99.7%



123226

Anisole

ReagentPlus[®], 99%



32212

Benzene

puriss. p.a., reag. Ph. Eur., $\geq 99.7\%$



175978

Benzene-d₆

99 atom % D



175870

Benzene-d₆

"100%", 99.96 atom % D



151815

Benzene-d₆

99.6 atom % D



570680

Benzene-d₆

anhydrous, ≥99.6 atom % D



364940

Benzene-d₆

99.6 atom % D, contains 0.03 % (v/v) TMS



294098

Benzonitrile

anhydrous, ≥99%



B8959

Benzonitrile

ReagentPlus[®], 99%



175730

Bromobenzene-d₅

99.5 atom % D



287725

Butyl acetate

anhydrous, ≥99%



402842

Butyl acetate

ACS reagent, ≥99.5%



270687

Butyl acetate

suitable for HPLC, 99.7%



537454

Butyl acetate

ReagentPlus[®], 99.5%



538191

Butyraldehyde

≥99.0%, dry



8.01791

Chlorobenzene

for synthesis



176605

Chlorobenzene-d₅

99 atom % D



5.89587

Chloroform

anhydrous, ≥99%, contains 0.5-1.0% ethanol as stabilizer



32211

Chloroform

puriss. p.a., reag. ISO, reag. Ph. Eur., 99.0-99.4% (GC)



34854

Chloroform

suitable for HPLC, ≥99.8%, amylene stabilized



151831

Chloroform-d

99.8 atom % D, contains 1 % (v/v) TMS



225789

Chloroform-d

99.8 atom % D, contains 0.03 % (v/v) TMS



494275

Chloroform-d

"100%", 99.96 atom % D, contains 0.03 % (v/v) TMS



151823

Chloroform-d

99.8 atom % D



612200

Chloroform-d

99.8 atom % D, contains 0.05 % (v/v) TMS



151858

Chloroform-d

"100%", 99.96 atom % D



434876

Chloroform-d

99.8 atom % D, contains 0.1 % (v/v) TMS



431915

Chloroform-d

"100%", 99.96 atom % D, contains 0.5 wt. % silver wire as stabilizer



416754

Chloroform-d

≥99.8 atom % D, contains 0.5 wt. % silver foil as stabilizer



570699

Chloroform-d

≥99.8 atom % D, anhydrous



530735

Chloroform-d

≥99.8 atom % D, contains 0.5 wt. % silver foil as stabilizer, 0.03 % (v/v) TMS



1.03420

Chloroform-D1

deuteration degree min. 99.8% for NMR spectroscopy (stabilized with silver) MagniSolv™



1.02450

Chloroform-D1

deuteration degree min. 99.8% for NMR spectroscopy MagniSolv™



1.03296

Chloroform-D1

0.03 vol.% TMS, deuteration degree min. 99.8% for NMR spectroscopy (stabilized with silver) MagniSolv™



5.89572

Cyclohexane

anhydrous, 99.5%



151866

Cyclohexane-d₁₂

≥99.6 atom % D



105899

Cyclohexanol

ReagentPlus®, 99%



8.22328

Cyclohexanol

for synthesis



29140

Cyclohexanone

puriss. p.a., ≥99.5% (GC)



C102180

Cyclohexanone

ReagentPlus®, 99.8%



398241

Cyclohexanone

ACS reagent, ≥99.0%



C112402

Cyclopentanone

ReagentPlus®, ≥99%



807796

Cyrene™

BioRenewable, DMF and NMP Substitute



8.03101

Decahydronaphthalene

(mixture of cis-and trans isomers) for synthesis



756822

Deuterium oxide

filtered, 99.8 atom % D



293040

Deuterium oxide

99.9 atom % D, contains 0.75 wt. % 3-(trimethylsilyl)propionic-2,2,3,3-*d*₄ acid, sodium salt



151882

Deuterium oxide

99.9 atom % D



343773

Deuterium oxide

99.9 atom % D, contains 1 % (w/w) 3-(trimethylsilyl)-1-propanesulfonic acid, sodium salt (DSS)



450510

Deuterium oxide

99.9 atom % D, contains 0.05 wt. % 3-(trimethylsilyl)propionic-2,2,3,3-*d*₄ acid, sodium salt



1.03428

Deuterium oxide

deuteration degree min. 99.95% for NMR spectroscopy MagniSolv™



1.13366

Deuterium oxide

deuteration degree min. 99.9% for NMR spectroscopy MagniSolv™



259020

Dibromomethane-*d*₂

≥99 atom % D, ≥99% (CP), contains copper as stabilizer



5.89583

Dibutyl ether

anhydrous, 99.3%



271454

Dibutyl ether

anhydrous, 99.3%



110280

Dibutyl ether

ReagentPlus®, ≥99%



8.02892

Dibutyl ether

for synthesis



34856

Dichloromethane

suitable for HPLC, ≥99.8%, contains amylene as stabilizer



32222

Dichloromethane

puriss. p.a., ACS reagent, reag. ISO, ≥99.9% (GC)



5.89581

Dichloromethane

contains 40-150 ppm amylene as stabilizer, anhydrous, 99.8%



530506

Dichloromethane-d₂

99.9 atom % D, contains 0.1 % (v/v) TMS



177865

Dichloromethane-d₂

99.5 atom % D



233366

Dichloromethane-d₂

"100%", 99.96 atom % D



444324

Dichloromethane-d₂

99.9 atom % D



296163

Dichloromethane-d₂

≥99.5 atom % D, contains 0.03 % (v/v) TMS



31590

Diethanolamine

puriss. p.a., ACS reagent, ≥99.0% (GC)



900018

Diethyl carbonate

≥99%, acid <10 ppm, H₂O <10 ppm



5.89589

Diethyl ether

contains 1 ppm BHT as inhibitor, anhydrous, ≥99.7%



E4658

Diethylene glycol diethyl ether

reagent grade, ≥98%



308277

Diethylene glycol diethyl ether

suitable for HPLC, ≥99%



8.02932

Diethylene glycol diethyl ether

for synthesis



281662

Diethylene glycol dimethyl ether

anhydrous, 99.5%



M14102

Diethylene glycol dimethyl ether

ReagentPlus[®], 99%



579548

Diethylene glycol methyl ether

ReagentPlus[®], ≥99.0%



8.03129

Diethylene glycol monobutyl ether

for synthesis



537616

Diethylene glycol monoethyl ether

ReagentPlus[®], 99%



V900238

Diethylene glycol monoethyl ether

Vetec[™], reagent grade, 99%



537527

Diethylene glycol monoethyl ether acetate

99%



8.18831

Diisobutyl ketone

for synthesis



296856

Diisopropyl ether

anhydrous, 99%, contains either BHT or hydroquinone as stabilizer



38270

Diisopropyl ether

puriss. p.a., ≥98.5% (GC)



398276

Diisopropyl ether

contains either BHT or hydroquinone as stabilizer, ACS reagent, ≥99.0%



185302

Diisopropyl ether

ReagentPlus[®], 99%, contains either BHT or hydroquinone as stabilizer



8.00866

Diisopropyl ether

(stabilized with 2,6-di-tert-butyl-4-methylphenol (BHT)) for synthesis



386464

Diisopropylamine

purified by redistillation, 99.95%



38290

Diisopropylamine

puriss. p.a., ≥99.0% (GC)



517127

Dimethyl carbonate

anhydrous, ≥99%



809942

Dimethyl carbonate

≥99.9%, acid <10 ppm, H₂O <10 ppm



906832

Dimethyl isosorbide

BioRenewable, *ReagentPlus*[®], ≥99%



41610

Dimethyl sulfate

puriss. p.a., ≥99.0% (GC)



D186309

Dimethyl sulfate

≥99.5%



274380

Dimethyl sulfide

anhydrous, ≥99.0%



416452

Dimethyl sulfide-d₆

99 atom % D



471267

Dimethyl sulfoxide

≥99.6%, *ReagentPlus*®



D9170

Dimethyl sulfoxide

PCR Reagent



D4540

Dimethyl sulfoxide

≥99.5% (GC), suitable for plant cell culture



D8418

Dimethyl sulfoxide

for molecular biology



D2650

Dimethyl sulfoxide

Hybri-Max™, sterile-filtered, BioReagent, suitable for hybridoma, ≥99.7%



D1435

Dimethyl sulfoxide

meets EP testing specifications, meets USP testing specifications



D2438

Dimethyl sulfoxide

sterile-filtered, BioPerformance Certified, meets EP, USP testing specifications, suitable for hybridoma



276855

Dimethyl sulfoxide

anhydrous, ≥99.9%



41639

Dimethyl sulfoxide

BioUltra, for molecular biology, ≥99.5% (GC)



472301

Dimethyl sulfoxide

ACS reagent, ≥99.9%



41640

Dimethyl sulfoxide

puriss. p.a., ACS reagent, ≥99.9% (GC)



34869

Dimethyl sulfoxide

suitable for HPLC, ≥99.7%



41640

Dimethyl sulfoxide

puriss. p.a., ACS reagent, ≥99.9% (GC)



V900090

Dimethyl sulfoxide

Vetec™, reagent grade, 99%



34869

Dimethyl sulfoxide

suitable for HPLC, ≥99.7%



34943-M

Dimethyl sulfoxide

puriss. p.a., dried, ≤0.02% water



900645

Dimethyl sulfoxide

anhydrous, ZerO₂®, ≥99.9%



5.89569

Dimethyl sulfoxide

anhydrous, ≥99.9%



716731

Dimethyl sulfoxide-d₆

"Special HOH", ≥99.9 atom % D



151874

Dimethyl sulfoxide-d₆

99.9 atom % D



175943

Dimethyl sulfoxide-d₆

99.5 atom % D



185965

Dimethyl sulfoxide-d₆

99.9 atom % D, contains 1 % (v/v) TMS



156914

Dimethyl sulfoxide-d₆

"100%", 99.96 atom % D



570672

Dimethyl sulfoxide-d₆

anhydrous, 99.9 atom % D



296147

Dimethyl sulfoxide-d₆

99.9 atom % D, contains 0.03 % (v/v) TMS



417939

Dimethyl sulfoxide-d₆

"100%", 99.96 atom % D, contains 0.03 % (v/v) TMS



1.03562

Dimethyl sulfoxide-d₆

deuteration degree min. 99.95% for NMR spectroscopy MagniSolv™



1.03424

Dimethyl sulfoxide-d₆

deuteration degree min. 99.8% for NMR spectroscopy MagniSolv™



1.03591

Dimethyl sulfoxide-d₆

with TMS (0.03 vol.%), deuteration degree min. 99.8% for NMR spectroscopy MagniSolv™



763896

DL- α -Tocopherol methoxypolyethylene glycol succinate



763918

DL- α -Tocopherol methoxypolyethylene glycol succinate solution

5 wt. % in H₂O



733857

DL- α -Tocopherol methoxypolyethylene glycol succinate solution

2 wt. % in H₂O



TMS-011

Endotoxin-Free Ultra Pure Water

Cell Culture



02870

Ethanol

ACS reagent, prima fine spirit, without additive, F15 o¹



02856

Ethanol

purum, absolute ethanol, denaturated with 4.8% isopropanol, A15 IPA¹, ≥99.8% (based on denaturant-free substance)



1.08543

Ethanol

for molecular biology



34852-M

Ethanol

absolute, suitable for HPLC, ≥99.8%



611697

Ethanol-d₆

95% in D₂O, 99 atom % D



186414

Ethanol-d₆

anhydrous, ≥99.5 atom % D



151904

Ethanol-OD

≥99.5 atom % D



452556

Ethanol-OD

99 atom % D



613479

Ether-d₁₀

99 atom % D



34858

Ethyl acetate

suitable for HPLC, ≥99.7%



319902

Ethyl acetate

ACS reagent, ≥99.5%



494518

Ethyl acetate

biotech. grade, ≥99.8%



439169

Ethyl acetate

suitable for HPLC, ≥99.8%



650528

Ethyl acetate

HPLC Plus, for HPLC, GC, and residue analysis, 99.9%



5.89580

Ethyl acetate

anhydrous, 99.8%



522899

Ethyl acetate-d₈

99.5 atom % D, 99% (CP)



745588

Ethyl acetate/Ethanol 3:1 (v/v) solution

(Ethyl acetate solution with 26.2% v/v SDA 35A), suitable for HPLC



459844

Ethyl alcohol, Pure

200 proof, ACS reagent, ≥99.5%



459836

Ethyl alcohol, Pure

200 proof, anhydrous, ≥99.5%



493511

Ethyl alcohol, Pure

190 proof, ACS spectrophotometric grade, 95.0%



792802

Ethyl alcohol, Pure

160 proof, Excise Tax-free, Permit for use required



E7148

Ethyl alcohol, Pure

190 proof, for molecular biology



E7023

Ethyl alcohol, Pure

200 proof, for molecular biology



493546

Ethyl alcohol, Pure

200 proof, meets USP testing specifications



809934

Ethyl methyl carbonate

99.9%, acid <10 ppm, H₂O <10ppm



754935

Ethyl methyl carbonate

99%



8.01372

Ethylbenzene

for synthesis



437344

Ethylbenzene-d₁₀

99 atom % D



809950

Ethylene carbonate

≥99%, acid <10 ppm, H₂O <10 ppm



V900208

Ethylene glycol

Vetec™, reagent grade, 98%



324558

Ethylene glycol

anhydrous, 99.8%



102466

Ethylene glycol

ReagentPlus®, ≥99%



293237

Ethylene glycol

spectrophotometric grade, ≥99%



900631

Ethylene glycol

anhydrous, ZerO₂[®], 99.8%



224111

Ethylene glycol diethyl ether

98%



537675

Ethylene glycol monopropyl ether

ReagentPlus[®], ≥99.40%



530549

Ethylene glycol-d₆

98 atom % D



347442

Ethylene-d₆ glycol

98 atom % D



47671

Formamide

BioUltra, for molecular biology, ≥99.5% (T)



F7503

Formamide

ReagentPlus[®], ≥99.0% (GC)



V900064

Formamide

Vetec[™], reagent grade, 98%



354400

Glutaraldehyde, 25% Aqueous Solution



911046

Glycerol

BioRenewable, ≥99.5%



49770

Glycerol

puriss. p.a., ACS reagent, anhydrous, dist., ≥99.5% (GC)



15523

Glycerol

puriss., anhydrous, 99.0-101.0% (alkalimetric)



G7757

Glycerol

ReagentPlus[®], ≥99.0% (GC)



G7893

Glycerol

ACS reagent, ≥99.5%



V900122

Glycerol

Vetec[™], reagent grade, 99%



15523-M

Glycerol

puriss., meets analytical specification of Ph. Eur., BP, USP, FCC, E422, anhydrous, 99.0-101.0% (alkalimetric)



5.89577

Heptane

anhydrous, 99%



494526

Heptane

biotech. grade, ≥99%



34873

Heptane

suitable for HPLC, ≥99%



303011

Heptane-d₁₆

99 atom % D



V900147

Hexadecane

Vetec[™], reagent grade, 98%



5.89590

Hexane

anhydrous, 95%



303003

Hexane-d₁₄

99 atom % D



227064

Hexane, mixture of isomers

anhydrous, ≥99%



178918

Hexane, mixture of isomers

ACS reagent, ≥98.5%



320315

Hexane, mixture of isomers

ACS reagent, ≥98.5%



439185

Hexane, mixture of isomers

suitable for HPLC, ≥98.5%



293253

Hexane, mixture of isomers

suitable for HPLC, ≥98.5%



320315

Hexane, mixture of isomers

ACS reagent, ≥98.5%



176680

Hypophosphorous acid-d₃ solution

50 wt. % in D₂O, 98 atom % D



437298

Imidazole-d₄

98 atom % D



537470

Isobutyl acetate

99%



306967

Isopentyl acetate

anhydrous, ≥99%



563935

Isopropanol

70% in H₂O



900519

Isopropyl acetate

anhydrous, ZerO₂[®], ≥99.6%



537462

Isopropyl acetate

≥99.6%



112992

Isopropyl acetate

98%



I9030

Isopropyl alcohol

meets USP testing specifications



60710

Kerosene

purum



329460

Kerosene

reagent grade, low odor



5.89592

m-Xylene



175919

m-Xylene-d₁₀

98 atom % D



650609

Methanol

HPLC Plus, ≥99.9%, poly-coated bottles



322415

Methanol

anhydrous, 99.8%



676780

Methanol

ACS reagent, ≥99.8%



M1775

Methanol

Absolute - Acetone free



676780

Methanol

ACS reagent, $\geq 99.8\%$



M1775

Methanol

Absolute - Acetone free



154903

Methanol

ACS spectrophotometric grade, $\geq 99.9\%$



179957

Methanol

Laboratory Reagent, $\geq 99.6\%$



179337

Methanol

ACS reagent, $\geq 99.8\%$



320390

Methanol

ACS reagent, $\geq 99.8\%$



34860

Methanol

suitable for HPLC, $\geq 99.9\%$



34885

Methanol

suitable for HPLC, gradient grade, $\geq 99.9\%$



646377

Methanol

HPLC Plus, $\geq 99.9\%$



439193

Methanol

suitable for HPLC, gradient grade, suitable as ACS-grade LC reagent, $\geq 99.9\%$



650609

Methanol

HPLC Plus, ≥99.9%, poly-coated bottles



900641

Methanol

anhydrous, ZerO₂[®], 99.8%



900688

Methanol

UHPLC, suitable for mass spectrometry (MS)



343854

Methanol-d₃

99.8 atom % D



417653

Methanol-d₄

≥99.8 atom % D, contains 1 % (v/v) TMS



151947

Methanol-d₄

≥99.8 atom % D



444758

Methanol-d₄

"100%", 99.96 atom % D



569534

Methanol-d₄

anhydrous, ≥99.8 atom % D



535435

Methanol-d₄

"100%", ≥99.96 atom % D, contains 0.03 % (v/v) TMS



611646

Methanol-d₄

≥99.8 atom % D, contains 0.05 % (v/v) TMS



343803

Methanol-d₄

≥99.8 atom % D, contains 0.03 % (v/v) TMS



441384

Methanol-d₄

≥99.8 atom % D



439029

Methanol-d₄

≥99.8 atom % D, contains 0.1 % (v/v) TMS



422878

Methanol-d₄

99 atom % D



550574

Methanol-OD

99 atom % D



151939

Methanol-OD

99.5 atom % D



45999

Methyl acetate

suitable for HPLC, ≥99.8%



5.89593

Methyl acetate

anhydrous, 99.5%



186325

Methyl acetate

ReagentPlus[®], 99%



52596

Methyl pivalate

suitable for GC/MS, ≥99.9% (GC)



306053

Methylcyclohexane-d₁₄

99.5 atom % D



69794

Mineral oil

BioUltra, for molecular biology



330760
Mineral oil
heavy



330779
Mineral oil
light



M3516
Mineral oil
suitable for preparation of Nujol mulls for infrared spectroscopy, light oil



262560
Mineral Spirits
odorless, contains ≥ 10 ppm BHT



8.20383
n-Decane
for synthesis



8.06838
n-Nonane
for synthesis



8.06910
n-Octane
for synthesis



D125806
N,N-Diisopropylethylamine
ReagentPlus[®], $\geq 99\%$



387649
N,N-Diisopropylethylamine
purified by redistillation, 99.5%



900690
N,N-Diisopropylethylamine
purified by redistillation, ZerO₂[®], 99.5%



496219

N,N-Diisopropylethylamine

99.5%, biotech. grade



V900211

N,N-Dimethylacetamide

Vetec™, reagent grade, 98%



185884

N,N-Dimethylacetamide

ReagentPlus®, ≥99%



271012

N,N-Dimethylacetamide

anhydrous, 99.8%



270555

N,N-Dimethylacetamide

suitable for HPLC, ≥99.9%



5.89582

N,N-Dimethylacetamide

anhydrous, 99.8%



D137510

N,N-Dimethylacetamide

ReagentPlus®, 99%



38840

N,N-Dimethylacetamide

puriss. p.a., ≥99.5% (GC)



900634

N,N-Dimethylacetamide

anhydrous, ZerO₂®, 99.8%



8.03235

N,N-Dimethylacetamide

for synthesis



522414

N,N-Dimethylacetamide-d₉

99 atom % D



900638

N,N-Dimethylformamide

anhydrous, ZerO₂®, 99.8%



227056

***N,N*-Dimethylformamide**

anhydrous, 99.8%



D4551

***N,N*-Dimethylformamide**

for molecular biology, ≥99%



33120

***N,N*-Dimethylformamide**

puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.8% (GC)



494488

***N,N*-Dimethylformamide**

biotech. grade, ≥99.9%



319937

***N,N*-Dimethylformamide**

ACS reagent, ≥99.8%



270547

***N,N*-Dimethylformamide**

suitable for HPLC, ≥99.9%



D158550

***N,N*-Dimethylformamide**

ReagentPlus[®], ≥99%



L091000

***N,N*-Dimethylformamide**



700428

***N,N*-Dimethylformamide-*d*₇**

≥99.5 atom % D, contains 0.03 % (v/v) TMS



189979

***N,N*-Dimethylformamide-*d*₇**

≥99.5 atom % D



269905

N,N-Dimethylformamide-d₇

≥99.5 atom % D, contains 1 % (v/v) TMS



151955

Nitrobenzene-d₅

99.5 atom % D



151963

Nitromethane-d₃

99 atom % D



5.89588

o-Xylene

anhydrous, 97%



8.08697

o-Xylene

for synthesis



175900

o-Xylene-d₁₀

99 atom % D



151971

Octane-d₁₈

98 atom % D



8.08691

p-Xylene

for synthesis



175927

p-Xylene-d₁₀

99 atom % D



5.89576

Pentane

≥99%, anhydrous



490482

Pentane-d₁₂

98 atom % D



85100

Petrol

purum, bp 80-110 °C



300314

Petroleum ether

anhydrous



320447

Petroleum ether

ACS reagent



184519

Petroleum ether

ACS reagent



261734

Petroleum ether

spectrophotometric grade



32299

Petroleum ether

puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp \geq 90% 40-60 °C (\geq 90%)



32299-M

Petroleum ether

puriss. p.a., ACS reagent, reagent ISO, low boiling point hydrogen treated naphtha, bp \geq 90% 40-60 °C (\geq 90%)



695017

Phosphoric acid

ACS reagent, \geq 85 wt. % in H₂O



698717

Polyoxyethanyl- α -tocopheryl sebacate

15 wt. % in H₂O



538124

Propionaldehyde

reagent grade, 97%



133108

Propyl acetate

99%



537438

Propyl acetate

≥99.5%



310328

Propylene carbonate

anhydrous, 99.7%



P52652

Propylene carbonate

ReagentPlus[®], 99%



809969

Propylene carbonate

≥99%, acid <10 ppm, H₂O <10 ppm



V900252

Propylene carbonate

Vetec[™], reagent grade, 98%



414220

Propylene carbonate

suitable for HPLC, 99.7%



270970

Pyridine

anhydrous, 99.8%



P57506

Pyridine

ReagentPlus[®], ≥99%



270407

Pyridine

suitable for HPLC, ≥99.9%



360570

Pyridine

ACS reagent, ≥99.0%



5.89579

Pyridine

anhydrous, 99.8%



494410

Pyridine

biotech. grade, ≥99.9%



33553

Pyridine

puriss. p.a., ACS reagent, reag. Ph. Eur., ≥99.5% (GC)



320498

Pyridine

ReagentPlus[®], ≥99%



532967

Pyridine-d₅

≥99.5 atom % D, contains 0.03 % (v/v) TMS



177970

Pyridine-d₅

"100%", ≥99.96 atom % D



532975

Pyridine-d₅

≥99.5 atom % D



277649

Reagent Alcohol

anhydrous, ≤0.003% water



793183

Reagent Alcohol

95%



237264

Resolve-Al™ La

99%



793043

Specially Denatured Alcohol

190 proof, SDA 23A, contains Acetone



793108

Specially Denatured Alcohol

190 proof, SDA 35A, contains Ethyl acetate



792950

Specially Denatured Alcohol

190 proof, SDA 2B-4, contains n-Heptane



792926

Specially Denatured Alcohol

200 proof, SDA 2B-4, contains Heptanes



793167

Specially Denatured Alcohol

190 proof, SDA 40B, contains *tert*-Butyl alcohol and denatonium benzoate



776033

SPGS-550-M

2% w/w in H₂O



247626

Sulfur dioxide solution

ACS reagent, ≥6%



471712

***tert*-Butanol**

anhydrous, ≥99.5%



B85927

***tert*-Butanol**

TEBOL® 99, ≥99.3%



19460

***tert*-Butanol**

puriss. p.a., ACS reagent, ≥99.7% (GC)



360538

***tert*-Butanol**

ACS reagent, ≥99.0%



308250

***tert*-Butanol**

suitable for HPLC, ≥99.5%



175889

***tert*-Butanol-d₁₀**

99 atom % D



537594

***tert*-Butyl acetoacetate**

reagent grade, 98%



5.89595

***tert*-Butyl methyl ether**

anhydrous, 99.8%



306975

tert-Butyl methyl ether

anhydrous, 99.8%



20256

tert-Butyl methyl ether

puriss. p.a., ≥99.5% (GC)



34875

tert-Butyl methyl ether

suitable for HPLC, ≥99.8%



179787

tert-Butyl methyl ether

reagent grade, ≥98%



650560

tert-Butyl methyl ether

HPLC Plus, for HPLC, GC, and residue analysis, 99.9%



443808

tert-Butyl methyl ether

ACS reagent, ≥99.0%



320196

tert-Butyl methyl ether

reagent grade, 98%



5.89568

Tetrahydrofuran

anhydrous, ≥99.9%, inhibitor-free



5.89570

Tetrahydrofuran

contains 250 ppm BHT as inhibitor, anhydrous, ≥99.9%



401757

Tetrahydrofuran

anhydrous, ≥99.9%, inhibitor-free



676764

Tetrahydrofuran

ACS reagent, ≥99.0%, contains 250 ppm BHT as inhibitor



178810

Tetrahydrofuran

ReagentPlus[®], ≥99.0%, contains 250 ppm BHT as inhibitor



360589

Tetrahydrofuran

contains 250 ppm BHT as inhibitor, ACS reagent, ≥99.0%



87368

Tetrahydrofuran

contains 250 ppm BHT as inhibitor, puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.9%



34865

Tetrahydrofuran

inhibitor-free, suitable for HPLC, ≥99.9%



900636

Tetrahydrofuran

anhydrous, inhibitor-free, ZerO₂[®], ≥99.9%



87368-M

Tetrahydrofuran

contains 250 ppm BHT as inhibitor, puriss. p.a., ACS reagent, reagent Ph. Eur., ≥99.9%



184314

Tetrahydrofuran-d₈

≥99.5 atom % D



437727

Tetrahydrofuran-d₈

≥99.5 atom % D, contains 0.03 % (v/v) TMS



269891

Tetrahydrofuran-d₈

≥99.5 atom % D, contains 1 % (v/v) TMS



437727

Tetrahydrofuran-d₈

≥99.5 atom % D, contains 0.03 % (v/v) TMS



1.13364

Tetrahydrofuran-d₈

deuteration degree min 99.5% for NMR spectroscopy MagniSolv™



293105

Tetrahydropyran

anhydrous, 99%



T24007

Tetramethylsilane

ACS reagent, NMR grade, $\geq 99.9\%$



5.89578

Toluene

anhydrous, 99.8%



570710

Toluene-d₈

anhydrous, 99.6 atom % D



151998

Toluene-d₈

99 atom % D



471399

Toluene-d₈

99 atom % D, contains 0.03 % (v/v) TMS



233382

Toluene-d₈

"100%", 99.96 atom % D



434388

Toluene-d₈

99.6 atom % D



8.18604

Tributyl phosphate

for synthesis



90780

Tributylamine

puriss. p.a., $\geq 99.0\%$ (GC)



471313

Tributylamine

$\geq 98.5\%$



90781

Tributylamine

puriss. plus, $\geq 99.5\%$ (GC)



91230

Trichloroacetic acid

ACS reagent, for the determination of Fe in blood according to Heilmeyer, $\geq 99.5\%$



471283

Triethylamine

≥99.5%



T0886

Triethylamine

≥99%



900632

Triethylamine

ZerO₂[®], ≥99%



8.08245

Triethylene glycol

for synthesis



T59803

Triethylene glycol dimethyl ether

ReagentPlus[®], 99%



T6508

Trifluoroacetic acid

ReagentPlus[®], 99%



152005

Trifluoroacetic acid-d

99.5 atom % D



W1503

Water

for embryo transfer, sterile-filtered, BioXtra, suitable for mouse embryo cell culture



W3500

Water

sterile-filtered, BioReagent, suitable for cell culture



W1754

Water

PCR Reagent



W4502

Water

Nuclease-Free Water, for Molecular Biology



95289

Water

for cell biology, sterile ultrafiltered

- 95280
Water
tested according to Ph. Eur.
- 320072
Water
ACS reagent
- 38796
Water
Deionized
- 900682
Water
for UHPLC, suitable for mass spectrometry (MS)
- 270733
Water
suitable for HPLC
- 34877
Water
HPLC Plus
- W3513
Water
BioPerformance Certified
- 9801-OP
Water
OmniPur® Grade, Sterile, Nuclease Free
- 9601-OP
Water
OmniPur® Grade, DEPC Treated, Autoclaved, Nuclease-Free
- 34877-M
Water
HPLC Plus
- 900687
Water solution
contains 0.1 % (v/v) formic acid, for UHPLC, suitable for mass spectrometry (MS)
- 693520
Water, DEPC-Treated, Molecular Biology Grade
Sterile-filtered water treated with diethyl pyrocarbonate (DEPC)

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sigmaaldrich.nt-rt.ru | | scx@nt-rt.ru