

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sigmaaldrich.nt-rt.ru | | scx@nt-rt.ru

Технические характеристики на изделия из стекла компании **Sigma-Aldrich**

Виды товаров: колбы, воронки, цилиндры, трубы, стаканы, бутылки, мензурки из боросиликатного стекла, градуированные цилиндры, эксикаторы из нейтрального стекла, воронки для дозирования, головки реакционной колбы, адаптеры термометра/трубки, трубки паропровода, вакуумно-сублимационные аппараты, коллекторы для наполнения пробирок, доливочные воронки, адаптеры для защиты от брызг, воронки Олдрича и др.

Glassware



Laboratory chemistry relies heavily on glassware to mix, separate, condense, or otherwise contain and manipulate chemicals and their environment to create the wanted reaction conditions. From ampules to volumetric flasks and complete distillation systems, we have the Aldrich® chemistry glassware that fits your analytical needs. Visit our glassware store to find everything you need.

General Laboratory Glassware

Custom Glassware and Repair Services

Z256765

Ace addition funnel

capacity 60 mL



Z180734

Ace addition funnel

capacity 500 mL



Z180920

Ace auto-zero McLeod vacuum gauges

pressure 0-1 mmHg



Z682683

Ace drying flask, pear-shaped, with side indents

capacity 500 mL, joint: ST/NS 29/32, glass



Z507660

Ace gas dispersion tube with porous fritted glass tip

Fit #7 Ace-Thred, O.D. × L 7 mm × 135 mm, porosity 25-50 μm (C)



Z507768

Ace gas dispersion tube with porous fritted glass tip, 15° bend

fits flask, 500 - 2000 mL, porosity 145-174 μm (A)



Z189944

ACE heavy-wall powder funnels

Straight, top diam. 75 mm



Z189995

ACE heavy-wall powder funnels

Mini-Lab, angled, top diam. 60 mm



Z189979

ACE heavy-wall powder funnels

Angled, top diam. 100 mm



Z189952

ACE heavy-wall powder funnels

Straight, top diam. 100 mm



Z259551

Ace photochemical immersion well

Quartz



Z420999

Ace photochemical reactor UV lamp

output 450 W



Z259497

Ace photochemical reactor vessel

Vessel only, capacity 250 mL



Z259527

Ace photochemical reactor vessel

Complete, capacity 250 mL



Z259535

Ace photochemical reactor vessel

Complete, capacity 500 mL



Z136735

Ace polished shaft

diam. × L 10 mm × 580 mm, with button



Z212644

Ace powder dispensing funnel

capacity 100 mL



Z243248

Ace powder dispensing funnel

capacity 250 mL



Z137375

Ace precision-ground shaft

diam. × L 6 mm × 318 mm



Z218650

Ace reaction flask head w/ thermometer joint

fits flask, 1,000 mL, center joint: ST/NS 24/40, side joint: ST/NS 24/40

Z218669

Ace reaction flask head w/ thermometer joint

fits flask, 2,000 - 4,000 mL, center joint: ST/NS 24/40, side joint: ST/NS 24/40



Z158348

Ace Reducing Adapter

female joint: ST/NS 29/42, male joint: SJ 35/25



Z146544

Ace Rotary-Evaporator/Freeze-Drying Flask Adapter Head W/ O-ring

joint: ST/NS 24/40



Z243299

ACE Squibb separatory funnel with Locktight stopper

capacity 1,000 mL, stopper joint: ST/NS 24/40



Z126101

Ace vacuum trap with threaded nylon bushing

O.D. 90 mm, L 350 mm, inner tube O.D. 24 mm



Z258717

Ace vacuum-sublimation apparatus

Complete apparatus, H × I.D. 250 mm × 152 mm



Z682454

Ace vapor duct tube, for condenser "V" assembly

joint: ST/NS 29/32, L 45 mm, fits Büchi® models R-210/R-215



Z682446

Ace vapor duct tube, for condenser "V" assembly

joint: ST/NS 24/40, L 45 mm, fits Büchi® models R-210/R-215



Z125377

Ace-Thred™ Thermometer/Tubing Adapter

Straight, joint: ST/NS 19/22, thread I.D. 7.0 mm



Z263494

Adapter for Kilo-Lab® and Pure-Pac® cylinders

endfitting size 3/8 in., hose barb size 1/4 in.



Z220248

Adapter with glass stopcock

female joint: ST/NS 14/20, male joint: ST/NS 14/20



Z173495

Addition funnel with Rotaflo® stopcock, and glass stopcock on side-arm

capacity 100 mL, male joint: ST/NS 14/20, female joint: ST/NS 14/20



Z516465

Aldrich® 5 mm NMR tube filling manifold

5 ports, L 300 mm



Z517135

Aldrich® 75 mm O-ring top

Standard taper, top joint: ST/NS 24/40



Z517127

Aldrich® 75 mm O-ring top

Torion™ inlet top



Z517399

Aldrich® 75 mm O-ring top

Standard taper, top joint: ST/NS 29/32



Z122467

Aldrich® addition funnel

capacity 50 mL, joint: ST/NS 14/20



Z548677

Aldrich® addition funnel

capacity 500 mL, joint: ST/NS 24/40



Z548618

Aldrich® addition funnel

capacity 25 mL, joint: ST/NS 14/20



Z548685

Aldrich® addition funnel

capacity 500 mL, joint: ST/NS 29/32

Z548626

Aldrich® addition funnel

capacity 100 mL, joint: ST/NS 14/20



Z548634

Aldrich® addition funnel

capacity 100 mL, joint: ST/NS 24/40



Z548650

Aldrich® addition funnel

capacity 250 mL, joint: ST/NS 24/40



Z548596

Aldrich® addition funnel

capacity 10 mL, joint: ST/NS 14/20



Z548669

Aldrich® addition funnel

capacity 250 mL, joint: ST/NS 29/32



Z548642

Aldrich® addition funnel

capacity 100 mL, joint: ST/NS 29/32



Z122521

Aldrich® addition funnel with pressure-equalization arm

capacity 50 mL, joint: ST/NS 14/20



Z548758

Aldrich® addition funnel with pressure-equalization arm

capacity 250 mL, joint: ST/NS 24/40



Z548693

Aldrich® addition funnel with pressure-equalization arm
capacity 10 mL, joint: ST/NS 14/20



Z548766

Aldrich® addition funnel with pressure-equalization arm
capacity 250 mL, joint: ST/NS 29/32



Z548715

Aldrich® addition funnel with pressure-equalization arm
capacity 100 mL, joint: ST/NS 14/20



Z548723

Aldrich® addition funnel with pressure-equalization arm
capacity 100 mL, joint: ST/NS 24/40



Z548731

Aldrich® addition funnel with pressure-equalization arm
capacity 100 mL, joint: ST/NS 29/32



Z548707

Aldrich® addition funnel with pressure-equalization arm
capacity 25 mL, joint: ST/NS 14/20



Z548774

Aldrich® addition funnel with pressure-equalization arm
capacity 500 mL, joint: ST/NS 24/40



Z147621

Aldrich® addition funnel with stopcock on pressure-equalization arm
capacity 1 L, joint: ST/NS 24/40



Z147648

Aldrich® addition funnel with stopcock on pressure-equalization arm
capacity 2 L, joint: ST/NS 24/40



Z517739

Aldrich® addition funnel with stopcock on pressure-equalization arm
capacity 1 L, joint: ST/NS 29/32



Z517747

Aldrich® addition funnel with stopcock on pressure-equalization arm
capacity 2 L, joint: ST/NS 29/32



Z517674

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 500 mL, joint: ST/NS 29/32

Z517682

Aldrich® addition funnels with PTFE needle valve

Unjacketed, capacity 100 mL, joint: ST/NS 29/32



Z419931

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 100 mL, joint: ST/NS 24/40



Z419958

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 250 mL, joint: ST/NS 24/40



Z517666

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 250 mL, joint: ST/NS 29/32



Z419974

Aldrich® addition funnels with PTFE needle valve

Unjacketed, capacity 100 mL, joint: ST/NS 24/40



Z419966

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 500 mL, joint: ST/NS 24/40



Z517658

Aldrich® addition funnels with PTFE needle valve

Jacketed, capacity 100 mL, joint: ST/NS 29/32



Z202762

Aldrich® adjustable pressure-release valve

pressure 5-50 psi



Z202789

Aldrich® adjustable rapid-purge valve



Z564176

Aldrich® adjustable sublimation apparatus

capacity 100 mL



Z166898

Aldrich® air-sensitive chemistry glass lab kit

joint: ST/NS 14/20 grease-free, threaded



Z203246

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 250 mL



Z164054

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 250 mL



Z166154

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 250 mL



Z203254

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 500 mL



Z166138

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 500 mL



Z549061

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 250 mL



Z549010

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 100 mL



Z549029

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 100 mL



Z549096

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 100 mL

Z548995

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 100 mL



Z549053

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 100 mL



Z549037

Aldrich® anticlimb splash-guard adapter

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 250 mL



Z252336

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 250 mL



Z549347

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 250 mL



Z549339

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 100 mL



Z252271

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 100 mL



Z252328

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 100 mL



Z252352

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 100 mL



Z252301

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 500 mL



Z252379

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 500 mL



Z252298

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 250 mL



Z252360

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 250 mL



Z549304

Aldrich® anticlimb splash-guard adapter with fritted disc

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 100 mL



Z166162

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 250 mL



Z164062

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 250 mL



Z203300

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 250 mL



Z549266

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 100 mL



Z549223

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 100 mL



Z549193

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 100 mL

Z549215

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 100 mL



Z549274

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 250 mL



Z549231

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 250 mL



Z166146

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 500 mL



Z203319

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 500 mL



Z549282

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 500 mL



Z549290

Aldrich® antispash splash-guard adapter with return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 100 mL



Z549185

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 500 mL



Z549142

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 250 mL



Z549134

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 14/20, capacity 100 mL



Z549118

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 100 mL



Z549177

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 250 mL



Z549169

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 24/40, capacity 100 mL



Z147826

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 24/40, male joint: ST/NS 14/20, capacity 250 mL



Z203289

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 500 mL



Z203440

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 100 mL



Z176044

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 100 mL



Z203270

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 29/32, male joint: ST/NS 29/32, capacity 250 mL



Z147796

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 250 mL



Z147818

Aldrich® antispash splash-guard adapter without return hole

female joint: ST/NS 24/40, male joint: ST/NS 24/40, capacity 500 mL

Z556084

Aldrich® aspirator bottle with SafetyBarb® tubulation and PTFE valve

capacity 19 L



Z556068

Aldrich® aspirator bottle with SafetyBarb® tubulation and PTFE valve

capacity 9.5 L



Z556076

Aldrich® aspirator bottle with SafetyBarb® tubulation and PTFE valve

capacity 13.2 L



Z555991

Aldrich® aspirator bottle with tubulation

capacity 500 mL, hose outlet O.D. 10 mm



Z556009

Aldrich® aspirator bottle with tubulation

capacity 1 L, hose outlet O.D. 10 mm



Z555983

Aldrich® aspirator bottle with tubulation

capacity 250 mL, hose outlet O.D. 10 mm



Z556017

Aldrich® aspirator bottle with tubulation
capacity 2 L, hose outlet O.D. 10 mm



Z250325

Aldrich® azeotropic distillation apparatus

joint: threaded 14/20



Z223379

Aldrich® bent distilling adapters, 105°

joint: ST/NS 24/40, With ground joints



Z413798

Aldrich® bent distilling adapters, 105°

With ground joints, joint: ST/NS 29/32



Z413763

Aldrich® bent distilling adapters, 105°

joint: ST/NS 14/20, With ground joints



Z413771

Aldrich® bent distilling adapters, 105°

joint: ST/NS 19/22, With ground joints



Z223255

Aldrich® bent vacuum-distilling adapter

w/ ground joints, joint: ST/NS 24/40



Z100293

Aldrich® bent vacuum-distilling adapter

w/ Clear-Seal® joints, joint: ST/NS 19/22



Z530328

Aldrich® bent vacuum-distilling adapter

w/ ground joints, joint: ST/NS 19/22



Z122386

Aldrich® bent vacuum-distilling adapter

w/ ground joints, joint: ST/NS 14/20



Z546437

Aldrich® Buchner funnel

funnel capacity 2 mL, disc diam. 10 mm, porosity 10-20 µm



Z546488

Aldrich® Buchner funnel

funnel capacity 15 mL, disc diam. 20 mm, porosity 4-8 µm



Z546429

Aldrich® Buchner funnel

funnel capacity 2 mL, disc diam. 10 mm, porosity 25-50 µm



Z546615

Aldrich® Buchner funnel

funnel capacity 140 mL, disc diam. 65 mm, porosity 10-20 µm

Z546682

Aldrich® Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 70-100 µm



Z547107

Aldrich® Buchner funnel

funnel capacity 30 mL, disc diam. 30 mm, porosity 25-50 µm



Z547123

Aldrich® Buchner funnel

funnel capacity 4,000 mL, disc diam. 150 mm, porosity 70-100 µm



Z546607

Aldrich® Buchner funnel

funnel capacity 60 mL, disc diam. 40 mm, porosity 4-8 µm



Z547042

Aldrich® Buchner funnel

funnel capacity 30 mL, disc diam. 30 mm, porosity 10-20 µm



Z546690

Aldrich® Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 25-50 µm



Z546852

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 25-50 µm



Z546631

Aldrich® Buchner funnel

funnel capacity 350 mL, disc diam. 80 mm, porosity 70-100 µm



Z550124

Aldrich® Buchner funnel

funnel capacity 30 mL, disc diam. 30 mm, porosity 4-8 μm



Z546518

Aldrich® Buchner funnel

funnel capacity 140 mL, disc diam. 65 mm, porosity 145-175 μm



Z546828

Aldrich® Buchner funnel

funnel capacity 4,000 mL, disc diam. 150 mm, porosity 25-50 μm



Z550027

Aldrich® Buchner funnel

funnel capacity 60 mL, disc diam. 40 mm, porosity 145-175 μm



Z546712

Aldrich® Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 145-175 μm



Z546658

Aldrich® Buchner funnel

funnel capacity 350 mL, disc diam. 80 mm, porosity 25-50 μm



Z550094

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 145-175 μm



Z547069

Aldrich® Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 10-20 μm



Z546720

Aldrich® Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 70-100 μm



Z547131

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 70-100 μm



Z546526

Aldrich® Buchner funnel

funnel capacity 140 mL, disc diam. 65 mm, porosity 70-100 μm



Z547115

Aldrich® Buchner funnel

funnel capacity 60 mL, disc diam. 40 mm, porosity 70-100 μm

Z550094

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 145-175 μm



Z547069

Aldrich® Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 10-20 μm



Z546720

Aldrich® Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 70-100 μm



Z547131

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 70-100 μm



Z546526

Aldrich® Buchner funnel

funnel capacity 140 mL, disc diam. 65 mm, porosity 70-100 μm



Z547115

Aldrich® Buchner funnel

funnel capacity 60 mL, disc diam. 40 mm, porosity 70-100 μm



Z546739

Aldrich® Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 25-50 μm



Z550035

Aldrich® Buchner funnel

funnel capacity 140 mL, disc diam. 65 mm, porosity 4-8 μm



Z546666

Aldrich® Buchner funnel

funnel capacity 350 mL, disc diam. 80 mm, porosity 10-20 μm



Z546445

Aldrich® Buchner funnel

funnel capacity 2 mL, disc diam. 10 mm, porosity 4-8 μm



Z547050

Aldrich® Buchner funnel

funnel capacity 60 mL, disc diam. 40 mm, porosity 25-50 μm



Z546496

Aldrich® Buchner funnel

funnel capacity 30 mL, disc diam. 30 mm, porosity 145-175 µm



Z546453

Aldrich® Buchner funnel

funnel capacity 15 mL, disc diam. 20 mm, porosity 25-50 µm



Z550043

Aldrich® Buchner funnel

funnel capacity 350 mL, disc diam. 80 mm, porosity 4-8 µm



Z550019

Aldrich® Buchner funnel

funnel capacity 6,000 mL, disc diam. 150 mm, porosity 10-20 µm



Z548189

Aldrich® Buchner funnel with joint

capacity 1,500 mL, disc diam. 120 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z548200

Aldrich® Buchner funnel with joint

capacity 1,500 mL, disc diam. 120 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z547018

Aldrich® Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z548111

Aldrich® Buchner funnel with joint

capacity 600 mL, disc diam. 90 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z546984

Aldrich® Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 145-175 µm, joint: ST/NS 24/40

Z546992

Aldrich® Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z548197

Aldrich® Buchner funnel with joint

capacity 1,500 mL, disc diam. 120 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z548073

Aldrich® Buchner funnel with joint

capacity 600 mL, disc diam. 90 mm, porosity 145-175 µm, joint: ST/NS 24/40



Z547034

Aldrich® Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 4-8 µm, joint: ST/NS 24/40



Z548189

Aldrich® Buchner funnel with joint

capacity 1,500 mL, disc diam. 120 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z546917

Aldrich® Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 4-8 µm, joint: ST/NS 24/40



Z546933

Aldrich® Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z546879

Aldrich® Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 145-175 µm, joint: ST/NS 24/40



Z547743

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 4-8 µm, joint: ST/NS 14/20



Z547662

Aldrich® Buchner funnel with joint

capacity 15 mL, disc diam. 20 mm, porosity 4-8 µm, joint: ST/NS 14/20



Z547840

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z547719

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 70-100 µm, joint: ST/NS 14/20



Z546941

Aldrich® Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z547700

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 145-175 µm, joint: ST/NS 14/20



Z547611

Aldrich® Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z547565

Aldrich® Buchner funnel with joint

capacity 2 mL, disc diam. 10 mm, porosity 25-50 µm, joint: ST/NS 14/20



Z547646

Aldrich® Buchner funnel with joint

capacity 15 mL, disc diam. 20 mm, porosity 25-50 µm, joint: ST/NS 14/20



Z547735

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 10-20 µm, joint: ST/NS 14/20



Z547573

Aldrich® Buchner funnel with joint

capacity 2 mL, disc diam. 10 mm, porosity 10-20 µm, joint: ST/NS 14/20



Z546887

Aldrich® Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 70-100 µm, joint: ST/NS 24/40

Z547727

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 25-50 µm, joint: ST/NS 14/20



Z546976

Aldrich® Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 4-8 µm, joint: ST/NS 24/40



Z546895

Aldrich® Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z547816

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 145-175 µm, joint: ST/NS 24/40



Z547824

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z547581

Aldrich® Buchner funnel with joint

capacity 2 mL, disc diam. 10 mm, porosity 4-8 µm, joint: ST/NS 14/20



Z547654

Aldrich® Buchner funnel with joint

capacity 15 mL, disc diam. 20 mm, porosity 10-20 µm, joint: ST/NS 14/20



Z547026

Aldrich® Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z547859

Aldrich® Buchner funnel with joint

capacity 30 mL, disc diam. 30 mm, porosity 4-8 µm, joint: ST/NS 24/40



Z546909

Aldrich® Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z553093

Aldrich® Buchner funnel with joint and SafetyBarb® hose connector

capacity 60 mL, porosity 10-20 µm



Z554464

Aldrich® Buchner VerSAfunnel™

capacity 350 mL, disc diam. 50 mm, porosity 145-175 µm



Z554294

Aldrich® Buchner VerSAfunnel™

capacity 30 mL, disc diam. 24 mm, porosity 70-100 µm



Z554405

Aldrich® Buchner VerSAfunnel™

capacity 140 mL, disc diam. 50 mm, porosity 145-175 µm



Z554251

Aldrich® Buchner VerSAfunnel™

capacity 30 mL, disc diam. 24 mm, porosity 4-8 µm



Z554448

Aldrich® Buchner VerSAfunnel™

capacity 350 mL, disc diam. 50 mm, porosity 25-50 µm



Z554936

Aldrich® Buchner VerSAfunnel™ bottom

for 140mL and 350mL



Z554871

Aldrich® Buchner VerSAfunnel™ top

for 140mL and 350mL



Z147605

Aldrich® bushing-type reducing adapter

female joint: ST/NS 24/40, male joint: SJ 65/40



Z560537

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 500 mL, top joint: threaded 29/32, column volume 400 mL

Z560537

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 500 mL, top joint: threaded 29/32, column volume 400 mL



Z560472

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 100 mL, top joint: threaded 24/40, column volume 100 mL



Z560480

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 100 mL, top joint: threaded 29/32, column volume 100 mL



Z560669

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 2000 mL, top joint: threaded 45/50, column volume 2000 mL



Z560626

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 500 mL, top joint: threaded 29/32, column volume 600 mL



Z560510

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 250 mL, top joint: threaded 29/32, column volume 200 mL



Z560502

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 250 mL, top joint: threaded 24/40, column volume 200 mL



Z560553

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 500 mL, top joint: threaded 24/40, column volume 600 mL



Z560650

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 2000 mL, top joint: threaded 45/40, column volume 2000 mL



Z560634

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 1000 mL, top joint: threaded 45/40, column volume 1000 mL



Z560642

Aldrich® calibrated chromatography column with solvent reservoir

reservoir volume 1000 mL, top joint: threaded 45/50, column volume 1000 mL



Z560421

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 1000 mL, top joint: threaded 45/40



Z560340

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 100 mL, top joint: threaded 24/40



Z560359

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 100 mL, top joint: threaded 29/32



Z560464

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 2000 mL, top joint: threaded 45/50, column volume 2000 mL



Z560448

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 1000 mL, top joint: threaded 45/50



Z560367

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 250 mL, top joint: threaded 24/40



Z560456

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 2000 mL, top joint: threaded 45/40



Z560375

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 250 mL, top joint: threaded 29/32



Z560391

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 500 mL, top joint: threaded 29/32

Z560405

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 500 mL, top joint: threaded 24/40



Z560413

Aldrich® calibrated chromatography column with solvent reservoir and fritted disc

reservoir volume 500 mL, top joint: threaded 29/32



Z529052

Aldrich® can/drum adapters

Bottle-top adapter, GL 45



Z225010

Aldrich® check-valve bubbler

single-inlet tube, top outlet



Z225029

Aldrich® check-valve bubbler

T-inlet tube, side outlet



Z551864

Aldrich® check-valve bubbler with SafetyBarb® hose connectors

single inlet tube, top outlet



Z551872

Aldrich® check-valve bubbler with SafetyBarb® hose connectors

T-inlet tube, side outlet



Z683507

Aldrich® chemical dryer

AC/DC input 115 V AC



Z413410

Aldrich® Claisen adapter

With drip-tip, bottom and side joint: ST/NS 19/22



Z136026

Aldrich® Claisen adapter

With drip-tip, bottom and side joint: ST/NS 24/40



Z100269

Aldrich® Claisen adapter

with Clear-Seal® joints, bottom and side joint: ST/NS 19/22, top joint: ST/NS 19/22



Z122378

Aldrich® Claisen adapter

With drip-tip, bottom and side joint: ST/NS 14/20, top joint: ST/NS 14/20



Z223387

Aldrich® Claisen adapter

with Clear-Seal® joints, bottom and side joint: ST/NS 24/40, top joint: ST/NS 24/40



Z413445

Aldrich® Claisen adapter

Without drip-tip, bottom and side joint: ST/NS 24/40



Z413429

Aldrich® Claisen adapter

Without drip-tip, bottom and side joint: ST/NS 14/20



Z413437

Aldrich® Claisen adapter

Without drip-tip, bottom and side joint: ST/NS 19/22, top joint: ST/NS 19/22



Z413453

Aldrich® Claisen adapter

Without drip-tip, bottom and side joint: ST/NS 29/32, top joint: ST/NS 29/32



Z530468

Aldrich® Claisen distillation head

Joints: ST/NS 24/40 (3), thermometer joint: ST/NS 10/30



Z530433

Aldrich® Claisen distillation head

Joints: ST/NS 14/20 (3), thermometer joint: ST/NS 10/18



Z415510

Aldrich® Claisen distillation head with Vigreux indents

Joints: ST/NS 24/40 (3), H 380 mm, thermometer joint: ST/NS 10/30

Z415502

Aldrich® Claisen distillation head with Vigreux indents

Joints: ST/NS 14/20 (3), H 250 mm, thermometer joint: ST/NS 10/18



Z516228

Aldrich® Claisen distillation head with Vigreux indents

Joints: ST/NS 29/32 (3), H 380 mm, thermometer joint: ST/NS 10/30



Z531162

Aldrich® coiled condenser

unjacketed, L 400 mm, joint: ST/NS 24/40



Z531073

Aldrich® coiled condenser

unjacketed, L 100 mm, joint: ST/NS 14/20



Z531111

Aldrich® coiled condenser

unjacketed, L 200 mm, joint: ST/NS 29/32



Z531154

Aldrich® coiled condenser

unjacketed, L 300 mm, joint: ST/NS 29/32



Z531286

Aldrich® coiled condenser

jacketed, L 300 mm, joint: ST/NS 24/40



Z531138

Aldrich® coiled condenser

unjacketed, L 300 mm, joint: ST/NS 14/20



Z531235

Aldrich® coiled condenser

jacketed, L 200 mm, joint: ST/NS 14/20



Z531081

Aldrich® coiled condenser

unjacketed, L 200 mm, joint: ST/NS 14/20



Z531146

Aldrich® coiled condenser

unjacketed, L 300 mm, joint: ST/NS 24/40



Z531308

Aldrich® coiled condenser

jacketed, L 400 mm, joint: ST/NS 24/40



Z531227

Aldrich® coiled condenser

jacketed, L 100 mm, joint: ST/NS 14/20



Z531103

Aldrich® coiled condenser

unjacketed, L 200 mm, joint: ST/NS 24/40



Z552356

Aldrich® coiled condenser with SafetyBarb® hose connectors

unjacketed, L 300 mm, joint: ST/NS 24/40



Z553603

Aldrich® coiled condenser with SafetyBarb® hose connectors

jacketed, L 200 mm, joint: ST/NS 24/40



Z164038

Aldrich® cold-finger condenser

joint: ST/NS 24/40



Z552380

Aldrich® cold-finger condenser

joint: ST/NS 14/20



Z164046

Aldrich® cold-finger condenser

joint: ST/NS 14/20



Z517453

Aldrich® cold-finger condenser

joint: ST/NS 29/32

Z225789

Aldrich® cold-finger for high-efficiency cold-trap

Standard, joint: ST/NS 45/50



Z551724

Aldrich® cold-trap top with stopcock

joint: ST/NS 29/32



Z121517

Aldrich® cold-trap with ball joint

joint: SJ 65/40



Z121525

Aldrich® cold-trap with ball joint

joint: SJ 75/50



Z568694

Aldrich® combustion apparatus flask, with stopper and pinch clamp

capacity 1000 mL



Z422304

Aldrich® concentrator condenser head

Overall H 275 mm, Joints: ST/NS 24/40 (2)



Z516317

Aldrich® concentrator condenser head

Overall H 300 mm, Joints: ST/NS 29/32 (2)



Z556505

Aldrich® connecting tube/ distillation adapter

male joint: ST/NS 29/42



Z556475

Aldrich® connecting tube/ distillation adapter

male joint: ST/NS 14/20



Z556483

Aldrich® connecting tube/ distillation adapter

male joint: ST/NS 19/22



Z556491

Aldrich® connecting tube/ distillation adapter

male joint: ST/NS 24/40



Z511560

Aldrich® cylindrical narrow-mouth Dewar flask

capacity 440 mL, aluminum, extended aluminum base



Z552526

Aldrich® Dean-Stark adapter

joint: ST/NS 24/40



Z552518

Aldrich® Dean-Stark adapter

joint: ST/NS 14/20



Z552534

Aldrich® Dean-Stark adapter

joint: ST/NS 29/32



Z202541

Aldrich® Dean-Stark trap

capacity 12 mL, joint: ST/NS 14/20



Z423076

Aldrich® Dean-Stark trap

capacity 25 mL, joint: ST/NS 14/20



Z423041

Aldrich® Dean-Stark trap

capacity 300 mL, joint: ST/NS 24/40



Z423025

Aldrich® Dean-Stark trap

capacity 25 mL, joint: ST/NS 24/40



Z516279

Aldrich® Dean-Stark trap

capacity 300 mL, joint: ST/NS 29/32

Z516252

Aldrich® Dean-Stark trap

capacity 25 mL, joint: ST/NS 29/32



Z423033

Aldrich® Dean-Stark trap

capacity 100 mL, joint: ST/NS 24/40



Z516260

Aldrich® Dean-Stark trap

capacity 100 mL, joint: ST/NS 29/32



Z277142

Aldrich® deluxe Luer fitting assortment set

for use with small diameterflexible tubing and miniature valves, includes 188 fittings



Z225770

Aldrich® Dewar for High-efficiency Cold-Trap

L 325 mm



Z569909

Aldrich® distillate sampling adapter, with vacuum connection and PTFE valve

Joints: ST/NS 24/40 (2)



Z569917

Aldrich® distillate sampling adapter, with vacuum connection and PTFE valve

Joints: ST/NS 29/32 (2)



Z154253

Aldrich® double-chamber vacuum trap

W × H 97 mm × 250 mm



Z162833

Aldrich® double-surface cold-trap

joint: ST/NS 55/50



Z103098

Aldrich® dry ice condenser

joint: ST/NS 24/40



Z422282

Aldrich® dry ice condenser for Büchi® rotary evaporators

with glass stopcock



Z117242

Aldrich® dry ice condenser for Büchi® rotary evaporators

with hose barb



Z171735

Aldrich® dry ice condenser trap

Overall H 450 mm, reservoir capacity 250 mL



Z422355

Aldrich® dry ice condenser trap

Overall H 490 mm, reservoir capacity 1,000 mL



Z422347

Aldrich® dry ice condenser trap

Overall H 470 mm, reservoir capacity 500 mL



Z553573

Aldrich® dry ice condenser-trap with SafetyBarb® tubing connector

reservoir capacity 1,000 mL, Overall H 490 mm



Z553557

Aldrich® dry ice condenser-trap with SafetyBarb® tubing connector

reservoir capacity 250 mL, Overall H 450 mm



Z553565

Aldrich® dry ice condenser-trap with SafetyBarb® tubing connector

reservoir capacity 500 mL, Overall H 470 mm



Z568546

Aldrich® dry ice trap

with SafetyBarb® tubing connectors, joint: ST/NS 24/40



Z243574

Aldrich® dual bank manifold with glass stopcocks

positions, 5

Z202703

Aldrich® dual bank manifold with glass stopcocks

positions, 4



Z202681

Aldrich® dual bank manifold with glass stopcocks

positions, 3



Z243566

Aldrich® dual bank manifold with glass stopcocks and vacuum-gauge port

positions, 5



Z202673

Aldrich® dual bank manifold with glass stopcocks and vacuum-gauge port

positions, 3



Z174432

Aldrich® dual bank manifold with glass stopcocks and vacuum-gauge port

positions, 4



Z414131

Aldrich® dual bank manifold with high-vacuum PTFE valves

standard manifold, positions, 3



Z415642

Aldrich® dual bank manifold with high-vacuum PTFE valves
manifold with vacuum-gauge port, positions, 5



Z415634

Aldrich® dual bank manifold with high-vacuum PTFE valves
manifold with vacuum-gauge port, positions, 4



Z414158

Aldrich® dual bank manifold with high-vacuum PTFE valves
standard manifold, positions, 4



Z414166

Aldrich® dual bank manifold with high-vacuum PTFE valves
standard manifold, positions, 5



Z415626

Aldrich® dual bank manifold with high-vacuum PTFE valves
manifold with vacuum-gauge port, positions, 3



Z414174

Aldrich® dual-action NMR tube cleaner
three position, joint: ST/NS 24/40



Z545325

Aldrich® dual-bank vacuum manifold with glass hosebarb stopcocks and jointed ends
positions, 4, joint: 24/40



Z545368

Aldrich® dual-bank vacuum manifold with glass hosebarb stopcocks and jointed ends
joint: ST/NS 14/20, positions, 4



Z545392

Aldrich® dual-bank vacuum manifold with PTFE valves with jointed ends
joint: ST/NS 24/40, positions, 4



Z545406

Aldrich® dual-bank vacuum manifold with PTFE valves with jointed ends
joint: ST/NS 24/40, positions, 5



Z414018

Aldrich® enlarging adapter
female joint: ST/NS 29/32, male joint: ST/NS 24/40



Z414026

Aldrich® enlarging adapter

female joint: ST/NS 34/45, male joint: ST/NS 24/40



Z414034

Aldrich® enlarging adapter

female joint: ST/NS 45/50, male joint: ST/NS 24/40



Z413984

Aldrich® enlarging adapter

female joint: ST/NS 24/40, male joint: ST/NS 14/20

Z413984

Aldrich® enlarging adapter

female joint: ST/NS 24/40, male joint: ST/NS 14/20



Z413992

Aldrich® enlarging adapter

female joint: ST/NS 24/40, male joint: ST/NS 19/22



Z567868

Aldrich® Erlenmeyer flask with ST joint

capacity 1,000 mL, joint: ST/NS 24/40



Z567841

Aldrich® Erlenmeyer flask with ST joint

capacity 125 mL, joint: ST/NS 14/20



Z567833

Aldrich® Erlenmeyer flask with ST joint

capacity 5 mL, joint: ST/NS 14/20



Z567876

Aldrich® Erlenmeyer flask with ST joint

capacity 2000 mL, joint: ST/NS 24/40



Z723096

Aldrich® Erlenmeyer flask with ST joint

capacity 500 mL, joint: ST/NS 24/40



Z723045

Aldrich® Erlenmeyer flask with ST joint

capacity 50 mL, joint: ST/NS 14/20



Z723053

Aldrich® Erlenmeyer flask with ST joint

capacity 50 mL, joint: ST/NS 24/40



Z723061

Aldrich® Erlenmeyer flask with ST joint

capacity 125 mL, joint: ST/NS 24/40



Z723029

Aldrich® Erlenmeyer flask with ST joint

capacity 10 mL, joint: ST/NS 14/20



Z723037

Aldrich® Erlenmeyer flask with ST joint

capacity 25 mL, joint: ST/NS 14/20



Z723088

Aldrich® Erlenmeyer flask with ST joint

capacity 250 mL, joint: ST/NS 24/40



Z740606

Aldrich® Essentials beaker, Berzelius

tall form, capacity 600 mL, volume 50-500 mL



Z740598

Aldrich® Essentials beaker, Berzelius

tall form, capacity 100 mL, volume 20-80 mL



Z740593

Aldrich® Essentials beaker, Berzelius

tall form, capacity 25 mL, volume 5-15 mL



Z740604

Aldrich® Essentials beaker, Berzelius

tall form, capacity 400 mL, volume 25-350 mL



Z740600

Aldrich® Essentials beaker, Berzelius

tall form, capacity 150 mL, volume 20-140 mL



Z740605

Aldrich® Essentials beaker, Berzelius

tall form, capacity 600 mL, volume 50-500 mL



Z740611

Aldrich® Essentials beaker, Berzelius

tall form, capacity 1000 mL, volume 50-1000 mL

Z740596

Aldrich® Essentials beaker, Berzelius

tall form, capacity 50 mL, volume 10-40 mL



Z740612

Aldrich® Essentials beaker, Berzelius

tall form, capacity 2000 mL, volume 200-2000 mL



Z740602

Aldrich® Essentials beaker, Berzelius

tall form, capacity 250 mL, volume 25-200 mL



Z740613

Aldrich® Essentials beaker, Berzelius

tall form, capacity 2000 mL, volume 200-2000 mL



Z740601

Aldrich® Essentials beaker, Berzelius

tall form, capacity 250 mL, volume 25-200 mL



Z740558

Aldrich® Essentials beaker, Griffin

low form, capacity 25 mL, subdivision, 5 mL (graduations: 5-15 mL)



Z740579

Aldrich® Essentials beaker, Griffin

low form, capacity 400 mL, subdivision, 25 mL (graduations: 25-350 mL)



Z740580

Aldrich® Essentials beaker, Griffin

low form, capacity 600 mL, subdivision, 50 mL (graduations: 50-500 mL)



Z740570

Aldrich® Essentials beaker, Griffin

low form, capacity 50 mL, subdivision, 10 mL (graduations: 10-40 mL)



Z740571

Aldrich® Essentials beaker, Griffin

low form, capacity 100 mL, subdivision, 10 mL (graduations: 20-80 mL)



Z740559

Aldrich® Essentials beaker, Griffin

low form, capacity 50 mL, subdivision, 10 mL (graduations: 10-40 mL)



Z740576

Aldrich® Essentials beaker, Griffin

low form, capacity 250 mL, subdivision, 25 mL (graduations: 25-200 mL)



Z740582

Aldrich® Essentials beaker, Griffin

low form, capacity 1000 mL, subdivision, 50 mL (graduations: 50-1000 mL)



Z740557

Aldrich® Essentials beaker, Griffin

low form, capacity 25 mL, subdivision, 5 mL (graduations: 5-15 mL)



Z740572

Aldrich® Essentials beaker, Griffin

low form, capacity 100 mL, subdivision, 10 mL (graduations: 20-80 mL)



Z740556

Aldrich® Essentials beaker, Griffin

low form, capacity 10 mL, ungraduated



Z740554

Aldrich® Essentials beaker, Griffin

low form, capacity 5 mL, ungraduated



Z730574

Aldrich® Essentials beaker, Griffin

low form, capacity 150 mL, subdivision, 20 mL (graduations: 20-140 mL)



Z740555

Aldrich® Essentials beaker, Griffin

low form, capacity 10 mL, ungraduated



Z740585

Aldrich® Essentials beaker, Griffin

low form, capacity 2000 mL, subdivision, 100 mL (graduations: 20-2000 mL)

Z740575

Aldrich® Essentials beaker, Griffin

low form, capacity 250 mL, subdivision, 25 mL (graduations: 25-200 mL)



Z740587

Aldrich® Essentials beaker, Griffin

low form, capacity 3000 mL, subdivision, 125 mL (graduations: 250-3000 mL)



Z740581

Aldrich® Essentials beaker, Griffin

low form, capacity 600 mL, subdivision, 50 mL (graduations: 50-500 mL)



Z740588

Aldrich® Essentials beaker, Griffin

low form, capacity 3000 mL, subdivision, 125 mL (graduations: 250-3000 mL)



Z740577

Aldrich® Essentials beaker, Griffin

low form, capacity 400 mL, subdivision, 25 mL (graduations: 25-350 mL)



Z740584

Aldrich® Essentials beaker, Griffin

low form, capacity 2000 mL, subdivision, 100 mL (graduations: 20-2000 mL)



Z740583

Aldrich® Essentials beaker, Griffin

low form, capacity 1000 mL, subdivision, 100 mL (graduations: 200-800 mL)



Z740591

Aldrich® Essentials beaker, Griffin

low form, capacity 10000 mL, subdivision, 1000 mL (graduations: 2000-9000 mL)



Z740589

Aldrich® Essentials beaker, Griffin

low form, capacity 5000 mL, subdivision, 250 mL (graduations: 250-4500 mL)



Z740590

Aldrich® Essentials beaker, Griffin

low form, capacity 5000 mL, subdivision, 250 mL (graduations: 250-4500 mL)



Z740740

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/29

capacity 250 mL



Z740727

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/29

capacity 50 mL



Z740741

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/29

capacity 500 mL



Z740725

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/40
capacity 1000 mL



Z740722

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/40
capacity 150 mL



Z740723

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/40
capacity 250 mL



Z740720

Aldrich® Essentials boiling flask, flat-bottom, ST/NS 24/40
capacity 100 mL



Z740717

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 1000 mL



Z740718

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 2000 mL



Z740716

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 500 mL

Z740715

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 250 mL



Z740712

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 50 mL



Z740714

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/29
capacity 100 mL



Z740711

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 2000 mL



Z740707

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 100 mL



Z740709

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 500 mL



Z740706

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 50 mL



Z740708

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 250 mL



Z740710

Aldrich® Essentials boiling flask, round-bottom, ST/NS 24/40
capacity 1000 mL



Z740650

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 50 mL, stopper joint: 1, volume 20-50 mL, accuracy: 10 mL



Z740661

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 2000 mL, stopper joint: 10, volume 600-1900 mL, accuracy: 100 mL



Z740656

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 500 mL, stopper joint: 7, volume 100-500 mL, accuracy: 50 mL



Z740662

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 3000 mL, stopper joint: 10, volume 1000-3000 mL, accuracy: 500 mL



Z740652

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 100 mL, stopper joint: 5, volume 50-100 mL, accuracy: 25 mL



Z740663

Aldrich® Essentials Erlenmeyer flask, narrow mouth
capacity 5000 mL, stopper joint: 10, volume 1000-5000 mL, accuracy: 500 mL



Z740654

Aldrich® Essentials Erlenmeyer flask, narrow mouth

capacity 250 mL, stopper joint: 6, volume 50-200 mL, accuracy: 25 mL



Z740658

Aldrich® Essentials Erlenmeyer flask, narrow mouth

capacity 1000 mL, stopper joint: 9, volume 250-1000 mL, accuracy: 50 mL



Z740660

Aldrich® Essentials Erlenmeyer flask, narrow mouth

capacity 2000 mL, stopper joint: 10, volume 600-1900 mL, accuracy: 100 mL



Z740648

Aldrich® Essentials Erlenmeyer flask, narrow mouth

capacity 25 mL, stopper joint: 0, volume 10-25 mL, accuracy: 5 mL



Z740674

Aldrich® Essentials Erlenmeyer flask, PTFE lined screw cap

capacity 500 mL, 38-430 thread, volume 100-500 mL, accuracy: 50 mL

Z740668

Aldrich® Essentials Erlenmeyer flask, PTFE lined screw cap

capacity 100 mL, 24-410 thread, volume 50-100 mL, accuracy: 25 mL



Z740665

Aldrich® Essentials Erlenmeyer flask, PTFE lined screw cap

capacity 50 mL, 24-410 thread, volume 20-50 mL, accuracy: 10 mL



Z740677

Aldrich® Essentials Erlenmeyer flask, PTFE lined screw cap

capacity 1000 mL, 38-430 thread, volume 250-1000 mL, accuracy: 50 mL



Z740681

Aldrich® Essentials filter flask, with side arm

capacity 250 mL



Z740682

Aldrich® Essentials filter flask, with side arm

capacity 500 mL



Z740684

Aldrich® Essentials filter flask, with side arm

capacity 500 mL



Z740680

Aldrich® Essentials filter flask, with side arm
capacity 250 mL



Z740686

Aldrich® Essentials filter flask, with side arm
capacity 1000 mL



Z740687

Aldrich® Essentials filter flask, with side arm
capacity 2000 mL



Z740685

Aldrich® Essentials filter flask, with side arm
capacity 1000 mL



Z740678

Aldrich® Essentials filter flask, with side arm
capacity 100 mL



Z740679

Aldrich® Essentials filter flask, with side arm
capacity 100 mL



Z740847

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272
capacity 100 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740846

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272
capacity 50 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740852

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272
capacity 500 mL, subdivision, 5.0 mL, tol. 2.5 mL, Graduated "To Contain", plastic bumper, hex base



Z740842

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272
capacity 25 mL, subdivision, 0.50 mL, tol. 0.25 mL, Graduated "To Contain", plastic bumper, hex base



Z740848

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272
capacity 100 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740854

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 1000 mL, subdivision, 10.0 mL, tol. 5.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740849

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 250 mL, subdivision, 2.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740844

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 50 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base

Z740850

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 250 mL, subdivision, 2.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740843

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 25 mL, subdivision, 0.50 mL, tol. 0.25 mL, Graduated "To Contain", plastic bumper, hex base



Z740840

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 10 mL, subdivision, 0.20 mL, tol. 0.10 mL, Graduated "To Contain", plastic bumper, hex base



Z740841

Aldrich® Essentials graduated cylinder, class A, meets ASTM E 1272

capacity 10 mL, subdivision, 0.20 mL, tol. 0.10 mL, Graduated "To Contain", plastic bumper, hex base



Z740860

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 50 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740868

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 1000 mL, subdivision, 10.0 mL, tol. 5.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740858

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 25 mL, subdivision, 0.50 mL, tol. 0.25 mL, Graduated "To Contain", plastic bumper, hex base



Z740859

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 50 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740863

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 100 mL, subdivision, 1.0 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper, hex base



Z740865

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 250 mL, subdivision, 2.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740856

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 10 mL, subdivision, 0.20 mL, tol. 0.10 mL, Graduated "To Contain", plastic bumper, hex base



Z740864

Aldrich® Essentials graduated cylinder, class A, meets DIN ISO 4788

capacity 250 mL, subdivision, 2.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740869

Aldrich® Essentials graduated cylinder, class B, meets ASTM E 1272

capacity 10 mL, subdivision, 0.20 mL, tol. 0.20 mL, Graduated "To Contain", plastic bumper, hex base



Z740890

Aldrich® Essentials graduated cylinder, class B, meets ASTM E 1272

capacity 500 mL, subdivision, 5.0 mL, tol. 5.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740892

Aldrich® Essentials graduated cylinder, class B, meets ASTM E 1272

capacity 1000 mL, subdivision, 10.0 mL, tol. 10.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740883

Aldrich® Essentials graduated cylinder, class B, meets ASTM E 1272

capacity 50 mL, subdivision, 1.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740886

Aldrich® Essentials graduated cylinder, class B, meets ASTM E 1272

capacity 100 mL, subdivision, 1.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740916

Aldrich® Essentials graduated cylinder, class B, meets DIN ISO 4788

capacity 500 mL, subdivision, 5.0 mL, tol. 5.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740913

Aldrich® Essentials graduated cylinder, class B, meets DIN ISO 4788

capacity 250 mL, subdivision, 2.0 mL, tol. 2.0 mL, Graduated "To Contain", plastic bumper, hex base



Z740836

Aldrich® Essentials graduated cylinder, class B, student grade

capacity 50 mL, subdivision, 1.0 mL, tol. 1.0 mL, Graduated "To Contain", plastic bumper and base

Z740834

Aldrich® Essentials graduated cylinder, class B, student grade

capacity 25 mL, subdivision, 0.50 mL, tol. 0.50 mL, Graduated "To Contain", plastic bumper and base



Z740832

Aldrich® Essentials graduated cylinder, class B, student grade

capacity 10 mL, subdivision, 0.20 mL, tol. 0.20 mL, Graduated "To Contain", plastic bumper and base



Z741031

Aldrich® Essentials membrane filtration apparatus

funnel capacity 500 mL, flask capacity 1000 mL, frit size 47 mm (90-150 µm)



Z741011

Aldrich® Essentials round media storage bottle

wide mouth, capacity 100 mL, GL 45 polypropylene cap with pour ring



Z741012

Aldrich® Essentials round media storage bottle

wide mouth, capacity 250 mL, GL 45 polypropylene cap with pour ring



Z741013

Aldrich® Essentials round media storage bottle

wide mouth, capacity 500 mL, GL 45 polypropylene cap with pour ring



Z741120

Aldrich® Essentials round media storage bottle

wide mouth, capacity 2000 mL, GL 45 polypropylene cap with pour ring



Z741014

Aldrich® Essentials round media storage bottle

wide mouth, capacity 1000 mL, GL 45 polypropylene cap with pour ring



Z740752

Aldrich® Essentials volumetric flask, class A, meets ASTM E288

stopper joint: 13, capacity 100 mL, tol. 0.100 mL, PE



Z740763

Aldrich® Essentials volumetric flask, class A, meets ASTM E288

capacity 2000 mL, stopper joint: 27, tol. 0.600 mL, PE



Z740750

Aldrich® Essentials volumetric flask, class A, meets ASTM E288

capacity 50 mL, tol. 0.060 mL, stopper size 9, PE



Z740745

Aldrich® Essentials volumetric flask, class A, meets ASTM E288

capacity 10 mL, stopper joint: 9, tol. 0.025 mL, PE



Z740762

Aldrich® Essentials volumetric flask, class A, meets ASTM E288

capacity 1000 mL, stopper joint: 22, tol. 0.400 mL, PE



Z740773

Aldrich® Essentials volumetric flask, Class A, meets DIN ISO-1042

capacity 50 mL, stopper joint: 9, tol. 0.060 mL, PE



Z740774

Aldrich® Essentials volumetric flask, Class A, meets DIN ISO-1042

capacity 100 mL, stopper joint: 13, tol. 0.100 mL, PE



Z740778

Aldrich® Essentials volumetric flask, Class A, meets DIN ISO-1042

capacity 250 mL, stopper joint: 16, tol. 0.150 mL, PE



Z740767

Aldrich® Essentials volumetric flask, Class A, meets DIN ISO-1042

capacity 10 mL, stopper joint: 9, tol. 0.025 mL, PE



Z740827

Aldrich® Essentials volumetric flask, Class B, meets DIN ISO-1042

capacity 2000 mL, tol. 1.20 mL, stopper size 27, PE



Z740808

Aldrich® Essentials volumetric flask, Class B, meets DIN ISO-1042

capacity 10 mL, tol. 0.05 mL, stopper size 9, PE



Z515663

Aldrich® evaporating flask, pear-shaped

capacity 2,000 mL, joint: ST/NS 29/32, non-coated, heavy wall

Z515620

Aldrich® evaporating flask, pear-shaped

capacity 500 mL, joint: ST/NS 29/32, non-coated, heavy wall



Z515590

Aldrich® evaporating flask, pear-shaped

capacity 250 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515558

Aldrich® evaporating flask, pear-shaped

capacity 50 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515639

Aldrich® evaporating flask, pear-shaped

capacity 1,000 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515566

Aldrich® evaporating flask, pear-shaped

capacity 50 mL, joint: ST/NS 29/32, non-coated, heavy wall



Z515531

Aldrich® evaporating flask, pear-shaped

capacity 50 mL, joint: ST/NS 14/20, non-coated, heavy wall



Z515612

Aldrich® evaporating flask, pear-shaped

capacity 500 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515515

Aldrich® evaporating flask, pear-shaped

capacity 10 mL, joint: ST/NS 14/20, non-coated, heavy wall



Z515523

Aldrich® evaporating flask, pear-shaped

capacity 25 mL, joint: ST/NS 14/20, non-coated, heavy wall



Z515655

Aldrich® evaporating flask, pear-shaped

capacity 2,000 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515604

Aldrich® evaporating flask, pear-shaped

capacity 250 mL, joint: ST/NS 29/32, non-coated, heavy wall



Z515574

Aldrich® evaporating flask, pear-shaped

capacity 100 mL, joint: ST/NS 24/40, non-coated, heavy wall



Z515647

Aldrich® evaporating flask, pear-shaped

capacity 1,000 mL, joint: ST/NS 29/32, non-coated, heavy wall



Z515582

Aldrich® evaporating flask, pear-shaped

capacity 100 mL, joint: ST/NS 29/32, non-coated, heavy wall



Z723118

Aldrich® evaporating flask, pear-shaped

capacity 100 mL, joint: ST/NS 14/20, non-coated, heavy wall



Z723126

Aldrich® evaporating flask, pear-shaped

capacity 250 mL, joint: ST/NS 14/20, non-coated, heavy wall



Z250244

Aldrich® falling-film distillation head

Micro, one-piece design, Overall L 325 mm, O.D. 28 mm, joint: ST/NS 14/20



Z220116

Aldrich® falling-film distillation head

Standard, two-piece design, Overall L 570 mm, O.D. 42 mm, joint: ST/NS 24/40



Z156604

Aldrich® falling-film distillation head

Standard, one-piece design, Overall L 570 mm, O.D. 42 mm, joint: ST/NS 24/40



Z250236

Aldrich® falling-film distillation head

Small, one-piece design, Overall L 420 mm, O.D. 42 mm, joint: ST/NS 24/40

Z174815

Aldrich® filter flask

capacity 1000 mL, stopcock for 3-way



Z547778

Aldrich® filtering flask

joint: ST/NS 14/20, capacity 25 mL



Z568376

Aldrich® filtering flask with hose barb, heavy-wall

capacity × H 1,000 mL × 255 mm, neck joint: ST/NS 29/32



Z568317

Aldrich® filtering flask with hose barb, heavy-wall

capacity 1,000 mL, neck joint: ST/NS 24/40



Z568392

Aldrich® filtering flask with hose barb, heavy-wall
capacity 4,000 mL, neck joint: ST/NS 29/32



Z568295

Aldrich® filtering flask with hose barb, heavy-wall
capacity 250 mL, neck joint: ST/NS 24/40



Z568309

Aldrich® filtering flask with hose barb, heavy-wall
capacity 500 mL, neck joint: ST/NS 24/40



Z568325

Aldrich® filtering flask with hose barb, heavy-wall
capacity 2,000 mL, neck joint: ST/NS 24/40



Z568333

Aldrich® filtering flask with hose barb, heavy-wall
capacity 4,000 mL, neck joint: ST/NS 24/40



Z568384

Aldrich® filtering flask with hose barb, heavy-wall
capacity 2,000 mL, joint: ST/NS 29/32



Z568341

Aldrich® filtering flask with hose barb, heavy-wall
capacity 250 mL



Z568171

Aldrich® filtering flask, heavy-wall
capacity 250 mL, neck joint: ST/NS 24/40



Z568244

Aldrich® filtering flask, heavy-wall
capacity 250 mL, neck joint: ST/NS 29/32



Z568198

Aldrich® filtering flask, heavy-wall
capacity 500 mL, neck joint: ST/NS 24/40



Z568201

Aldrich® filtering flask, heavy-wall
capacity 1,000 mL, neck joint: ST/NS 24/40



Z568236

Aldrich® filtering flask, heavy-wall

capacity 4,000 mL, joint: ST/NS 24/40



Z568228

Aldrich® filtering flask, heavy-wall

capacity 2,000 mL, neck joint: ST/NS 24/40



Z568252

Aldrich® filtering flask, heavy-wall

capacity 500 mL, neck joint: ST/NS 29/32



Z568287

Aldrich® filtering flask, heavy-wall

capacity 4,000 mL, neck joint: ST/NS 29/32



Z568260

Aldrich® filtering flask, heavy-wall

capacity 1,000 mL, neck joint: ST/NS 29/32

Z568287

Aldrich® filtering flask, heavy-wall

capacity 4,000 mL, neck joint: ST/NS 29/32



Z103616

Aldrich® Firestone valve

controls gas flow and pressure in reaction vessels



Z129186

Aldrich® flask-type sprayer

Replacement flask, capacity 250 mL



Z190403

Aldrich® flask-type sprayer

Replacement Head only



Z190381

Aldrich® flask-type sprayer

Replacement flask, capacity 75 mL



Z418838

Aldrich® flat-bottom flask

capacity 1,000 mL, joint: ST/NS 24/40



Z418722

Aldrich® flat-bottom flask

capacity 25 mL, joint: ST/NS 14/20



Z418781

Aldrich® flat-bottom flask

capacity 100 mL, joint: ST/NS 24/40



Z418803

Aldrich® flat-bottom flask

capacity 250 mL, joint: ST/NS 24/40



Z418846

Aldrich® flat-bottom flask

capacity 2,000 mL, joint: ST/NS 24/40



Z418749

Aldrich® flat-bottom flask

capacity 100 mL, joint: ST/NS 14/20



Z418773

Aldrich® flat-bottom flask

capacity 50 mL, joint: ST/NS 24/40



Z418811

Aldrich® flat-bottom flask

capacity 500 mL, joint: ST/NS 24/40



Z561045

Aldrich® four-neck round-bottom flask

capacity 500 mL, center joint: ST/NS 34/45, side Joints: ST/NS 24/40 (3)



Z561096

Aldrich® four-neck round-bottom flask

capacity 5,000 mL, center joint: ST/NS 34/45, side Joints: ST/NS 24/40 (3)



Z561061

Aldrich® four-neck round-bottom flask

capacity 2,000 mL, center joint: ST/NS 34/45, side Joints: ST/NS 24/40 (3)



Z561053

Aldrich® four-neck round-bottom flask

capacity 1,000 mL, center joint: ST/NS 34/45, side Joints: ST/NS 24/40 (3)



Z516244

Aldrich® fraction cutter head

joint: ST/NS 29/32



Z127779

Aldrich® fraction cutter head

joint: ST/NS 24/40



Z164011

Aldrich® fractional distillation head

with Vigreux indents

Z107476

Aldrich® fritted adapter

female joint: ST/NS 24/40, male joint: ST/NS 24/40



Z203173

Aldrich® fritted adapter

female joint: ST/NS 29/32, male joint: ST/NS 29/32



Z548553

Aldrich® fritted adapter

female joint: ST/NS 24/40, male joint: ST/NS 14/20



Z548561

Aldrich® fritted adapter

female joint: ST/NS 29/32, male joint: ST/NS 14/20



Z548588

Aldrich® fritted adapter

female joint: ST/NS 29/32, male joint: ST/NS 24/40



Z284726

Aldrich® fritted filter funnel

capacity 6 mL, tube L 65 mm, thread size 18-415



Z284742

Aldrich® fritted filter funnel

capacity 60 mL, tube L 132 mm, thread size 38-430



Z284734

Aldrich® fritted filter funnel

capacity 20 mL, tube L 85 mm, thread size 28-400



Z283320

Aldrich® fritted filter funnel for solid-phase synthesis

capacity 60 mL



Z283312

Aldrich® fritted filter funnel for solid-phase synthesis

capacity 30 mL



Z283304

Aldrich® fritted filter funnel for solid-phase synthesis

capacity 15 mL



Z551856

Aldrich® gas bubbler with SafetyBarb® hose connectors

capacity 4 mL, For bubble counting



Z214450

Aldrich® gas reducing flask

flask capacity 1000 mL, top joint: ST/NS 45/50, frit diam. 65 mm



Z214442

Aldrich® gas reducing flask

flask capacity 250 mL, top joint: ST/NS 24/40, frit diam. 40 mm



Z556548

Aldrich® gas reducing flask inlet joint

joint: threaded 14/20



Z556556

Aldrich® gas reducing flask inlet joint

joint: threaded 24/40



Z556564

Aldrich® gas reducing flask inlet joint

joint: threaded 45/50



Z116653

Aldrich® gas-condensing bottle

with hose connection



Z116645

Aldrich® gas-condensing bottle

with Luer lock



Z415774

Aldrich® gas-inlet adapter

Joints: ST/NS 14/20 (2)

Z415804

Aldrich® gas-inlet adapter

Joints: ST/NS 29/32 (2)



Z415782

Aldrich® gas-inlet adapter

Joints: ST/NS 19/22 (2)



Z415790

Aldrich® gas-inlet adapter

Joints: ST/NS 24/40 (2)



Z551937

Aldrich® gas-inlet adapter with SafetyBarb® hose connector

Joints: ST/NS 14/20 (2)



Z551953

Aldrich® gas-inlet adapter with SafetyBarb® hose connector

Joints: ST/NS 24/40 (2)



Z551945

Aldrich® gas-inlet adapter with SafetyBarb® hose connector

Joints: ST/NS 19/22 (2)



Z551961

Aldrich® gas-inlet adapter with SafetyBarb® hose connector

Joints: ST/NS 29/32 (2)



Z411973

Aldrich® glass helices

coil I.D. ~6 mm



Z411965

Aldrich® glass helices

coil I.D. 4-5 mm



Z566608

Aldrich® glass lab kit

joint: threaded 24/40



Z566594

Aldrich® glass lab kit

joint: threaded 19/22, with 3-neck flask



Z566578

Aldrich® glass lab kit

joint: threaded 14/20



Z170658

Aldrich® glass mercury trap

pkg of 1 ea



Z552453

Aldrich® glass thermometer well

fits flask, 5 L, immersion L 160 mm



Z552496

Aldrich® glass thermometer well

fits flask, 50 L, immersion L 350 mm



Z552461

Aldrich® glass thermometer well

fits flask, 12 L, immersion L 200 mm



Z552445

Aldrich® glass thermometer well

fits flask, 2 - 3 L, immersion L 125 mm



Z551759

Aldrich® graduated burette

volume 250 mL, subdivision, 1 mL



Z532428

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 24/40, volume 250 mL, accuracy: 1.00 mL



Z532436

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 24/40, volume 500 mL, accuracy: 2.50 mL

Z532444

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 24/40, volume 1,000 mL, accuracy: 5.00 mL



Z532371

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 14/20, volume 25 mL, accuracy: 0.25 mL



Z532355

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 14/20, volume 5 mL, accuracy: 0.05 mL



Z532398

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 14/20, volume 50 mL, accuracy: 0.50 mL



Z532363

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 14/20, volume 10 mL, accuracy: 0.10 mL



Z532401

Aldrich® graduated cylinders with joint, Class A

female joint: ST/NS 24/40, volume 100 mL, accuracy: 0.50 mL



Z531383

Aldrich® Graham condenser

Overall H 200 mm, joint: ST/NS 24/40



Z531448

Aldrich® Graham condenser

Overall H 400 mm, joint: ST/NS 24/40



Z531375

Aldrich® Graham condenser

Overall H 200 mm, joint: ST/NS 14/20



Z531367

Aldrich® Graham condenser

Overall H 100 mm, joint: ST/NS 14/20



Z531413

Aldrich® Graham condenser

Overall H 300 mm, joint: ST/NS 24/40



Z556823

Aldrich® heavy duty tapered Benchclamp™

size S, Fits joint 24/40



Z516546

Aldrich® heavy-duty Vigreux, jacketed distillation head

Joints: ST/NS 29/32 (2), thermometer joint: ST/NS 10/30



Z516538

Aldrich® heavy-duty Vigreux, jacketed distillation head

Joints: ST/NS 24/40 (2), thermometer joint: ST/NS 10/30



Z516517

Aldrich® heavy-duty Vigreux, jacketed distillation head

Joints: ST/NS 14/20 (2), thermometer joint: ST/NS 10/18



Z413380

Aldrich® Hempel column

Unjacketed, effective L 300 mm, O.D. × I.D. 22 mm × 19 mm



Z413356

Aldrich® Hempel column

Vacuum-jacketed, effective L 300 mm, O.D. × I.D. 38 mm × 19 mm



Z552631

Aldrich® high-efficiency Friedrichs reflux condenser

SafetyBarb® connectors, joint: ST/NS 29/32



Z552429

Aldrich® high-efficiency Friedrichs reflux condenser

joint: ST/NS 29/32



Z552410

Aldrich® high-efficiency Friedrichs reflux condenser

joint: ST/NS 24/40

Z552631

Aldrich® high-efficiency Friedrichs reflux condenser

SafetyBarb® connectors, joint: ST/NS 29/32



Z552399

Aldrich® high-efficiency Liebig reflux condenser

joint: ST/NS 24/40, Glass barbs



Z544817

Aldrich® high-efficiency variable take off head

joint: ST/NS 24/40, thermometer joint: ST/NS 10/18



Z544825

Aldrich® high-efficiency variable take off head

joint: ST/NS 29/32, thermometer joint: ST/NS 10/18



Z768286

Aldrich® high-vacuum glass stockcock, T-bore
stopcock bore 4 mm



Z550310

Aldrich® Hirsch funnel
joint: ST/NS 14/20, porosity 1.0-1.6 µm



Z219924

Aldrich® hollow pennyhead stopper
joint: ST/NS 19/38



Z219916

Aldrich® hollow pennyhead stopper
joint: ST/NS 10/30



Z219959

Aldrich® hollow pennyhead stopper
joint: ST/NS 34/45



Z219983

Aldrich® hollow pennyhead stopper
joint: ST/NS 19/22



Z229644

Aldrich® hollow pennyhead stopper
joint: ST/NS 10/19



Z219967

Aldrich® hollow pennyhead stopper
joint: ST/NS 45/50



Z219339

Aldrich® hollow pennyhead stopper
joint: ST/NS 55/50



Z219940

Aldrich® hollow pennyhead stopper
joint: ST/NS 29/42



Z229695

Aldrich® hollow pennyhead stopper
joint: ST/NS 29/32



Z219975

Aldrich® hollow pennyhead stopper

joint: ST/NS 14/20



Z219932

Aldrich® hollow pennyhead stopper

joint: ST/NS 24/40



Z101214

Aldrich® in-line bubbler

capacity 5-7 mL



Z530360

Aldrich® in-line oil bubbler

joint: ST/NS 19/22



Z530379

Aldrich® in-line oil bubbler

joint: ST/NS 29/32

Z530360

Aldrich® in-line oil bubbler

joint: ST/NS 19/22



Z530379

Aldrich® in-line oil bubbler

joint: ST/NS 29/32



Z551899

Aldrich® in-line oil bubbler with SafetyBarb® hose connectors

joint: ST/NS 19/22



Z551910

Aldrich® in-line oil bubbler with SafetyBarb® hose connectors

joint: ST/NS 24/40



Z551929

Aldrich® in-line oil bubbler with SafetyBarb® hose connectors

joint: ST/NS 29/32



Z551880

Aldrich® in-line oil bubbler with SafetyBarb® hose connectors

joint: ST/NS 14/20



Z547174

Aldrich® jacketed Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 10-20 µm



Z547417

Aldrich® jacketed Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 25-50 µm



Z547425

Aldrich® jacketed Buchner funnel

funnel capacity 1,500 mL, disc diam. 120 mm, porosity 10-20 µm



Z547387

Aldrich® jacketed Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 70-100 µm



Z547085

Aldrich® jacketed Buchner funnel

funnel capacity 600 mL, disc diam. 90 mm, porosity 25-50 µm



Z547166

Aldrich® jacketed Buchner funnel with joint

capacity 350 mL, disc diam. 80 mm, porosity 145-175 µm, joint: ST/NS 24/40



Z550396

Aldrich® jacketed Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z550736

Aldrich® jacketed Buchner funnel with joint

capacity 600 mL, disc diam. 90 mm, porosity 25-50 µm, joint: ST/NS 24/40



Z550515

Aldrich® jacketed Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 10-20 µm, joint: ST/NS 24/40



Z550523

Aldrich® jacketed Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 4-8 µm, joint: ST/NS 24/40



Z550485

Aldrich® jacketed Buchner funnel with joint

capacity 140 mL, disc diam. 65 mm, porosity 145-175 µm, joint: ST/NS 24/40



Z550388

Aldrich® jacketed Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 70-100 µm, joint: ST/NS 24/40



Z517755

Aldrich® jacketed Buchner funnel with joint

capacity 60 mL, disc diam. 40 mm, porosity 25-50 µm, joint: ST/NS 29/32



Z102571

Aldrich® jacketed Dean-Stark trap

capacity 325 mL, joint: ST/NS 24/40

Z517240

Aldrich® jacketed Friedrichs coil condenser

Overall H 260 mm, joint: ST/NS 29/32



Z517267

Aldrich® jacketed Friedrichs coil condenser

Overall H 410 mm, joint: ST/NS 29/32



Z153109

Aldrich® jacketed round-bottom flasks

capacity 1,000 mL



Z153087

Aldrich® jacketed round-bottom flasks

capacity 250 mL



Z153095

Aldrich® jacketed round-bottom flasks

capacity 500 mL



Z564761

Aldrich® jacketed Soxhlet extractor

capacity 50 mL



Z564788

Aldrich® jacketed Soxhlet extractor

capacity 145 mL



Z564796

Aldrich® jacketed Soxhlet extractor

capacity 200 mL



Z549800

Aldrich® jacketed three-neck flask

half jacket, capacity 1,000 mL, center joint: ST/NS 24/40



Z549894

Aldrich® jacketed three-neck flask

full jacket, capacity 1,000 mL, center joint: ST/NS 24/40



Z549819

Aldrich® jacketed three-neck flask

half jacket, capacity 1,000 mL, center joint: ST/NS 29/42



Z549827

Aldrich® jacketed three-neck flask

half jacket, capacity 2,000 mL, center joint: ST/NS 29/42



Z549908

Aldrich® jacketed three-neck flask

full jacket, capacity 1,000 mL, center joint: ST/NS 29/42



Z549789

Aldrich® jacketed three-neck flask

half jacket, capacity 500 mL, center joint: ST/NS 24/40



Z549878

Aldrich® jacketed three-neck flask

full jacket, capacity 500 mL, center joint: ST/NS 24/40



Z549940

Aldrich® jacketed three-neck flask

full jacket, capacity 12,000 mL, center joint: ST/NS 45/50



Z549932

Aldrich® jacketed three-neck flask

full jacket, capacity 5,000 mL, center joint: ST/NS 45/50



Z549797

Aldrich® jacketed three-neck flask

half jacket, capacity 500 mL, center joint: ST/NS 29/42



Z549886

Aldrich® jacketed three-neck flask

full jacket, capacity 500 mL, center joint: ST/NS 29/42



Z549916

Aldrich® jacketed three-neck flask

full jacket, capacity 2,000 mL, center joint: ST/NS 29/42

Z549843

Aldrich® jacketed three-neck flask

half jacket, capacity 5,000 mL, center joint: ST/NS 45/50



Z422312

Aldrich® KOH trap

standard, L 450 mm, I.D. 50 mm



Z422320

Aldrich® KOH trap

large, L 610 mm, I.D. 90 mm



Z556467

Aldrich® KOH trap top

fits standard and large sizes



Z101397

Aldrich® Kramer filter

diam. × L 12.5 mm × 110 mm



Z748293

Aldrich® Kugelrohr glassware set

25 mL and 100 mL load and ball-tube flasks with straight tube, joint: ST/NS 14/20



Z748307

Aldrich® Kugelrohr glassware set

one 1 L load flask, one 1 L bulb-tube and one straight tube, joint: ST/NS 24/40



Z748315

Aldrich® Kugelrohr glassware set

one 2 L load flask, one 2 L bulb-tube and one straight tube, joint: ST/NS 24/40



Z683485

Aldrich® Kugelrohr™ short-path distillation apparatus

AC/DC input 230 V AC, European 2-pin plug



Z683493

Aldrich® Kugelrohr™ short-path distillation apparatus

AC/DC input 230 V AC, UK plug



Z517356

Aldrich® large capacity fritted filter funnel

capacity 2 L, joint: ST/NS 29/32



Z517348

Aldrich® large capacity fritted filter funnel

capacity 1 L, joint: ST/NS 29/32



Z517291

Aldrich® large capacity fritted filter funnel

capacity 2 L, joint: ST/NS 24/40



Z517283

Aldrich® large capacity fritted filter funnel

capacity 1 L, joint: ST/NS 24/40



Z169153

Aldrich® large glass beaker

capacity 10 L



Z169161

Aldrich® large glass beaker

capacity 20 L



Z127868

Aldrich® large separatory funnel

overall capacity 6 L, PTFE stopcock, joint: ST/NS 45/40



Z127841

Aldrich® large separatory funnel

overall capacity 4 L, capacity 4 L, PTFE stopcock, joint: ST/NS 45/40



Z102601

Aldrich® large separatory funnel

overall capacity 12 L, glass stopcock



Z127876

Aldrich® large separatory funnel

overall capacity 10 L, PTFE stopcock, joint: ST/NS 45/40

Z102628

Aldrich® large separatory funnel

overall capacity 22 L, glass stopcock



Z103187

Aldrich® large-capacity abderhalden drying apparatus

chamber diam. × L 3 in. × 11.5 in., capacity 100 g

Z107514
Aldrich® large-capacity Abderhalden drying apparatus replacement parts
O-rings

Z127396
Aldrich® large-capacity cold trap
Replacement bulb, for Z106909, with 50 mm O-ring joint

Z103101
Aldrich® large-capacity cold trap
bulb capacity 500 mL, joint: ST/NS 55/50

Z183954
Aldrich® large-capacity cold trap
Inside finger for traps with 50mm O-ring

Z106909
Aldrich® large-capacity cold trap
bulb capacity 500 mL, with 50 mm O-ring joint

Z203750
Aldrich® large-capacity cold trap
Inside finger for traps with ST/NS: 55/50 joint

Z284548
Aldrich® large-capacity cold trap
Replacement bulb, for Z284521, with 50 mm O-ring joint

Z118311
Aldrich® large-capacity cold trap
Replacement bulb, for Z103101, joint: ST/NS 55/50

Z284505
Aldrich® large-capacity cold trap
bulb capacity 1,000 mL, joint: ST/NS 55/50

Z284521
Aldrich® large-capacity cold trap
bulb capacity 1,000 mL, with 50 mm O-ring joint

Z107123
Aldrich® lattice rods
fiberglass, rod L 96 in.



Z122416

Aldrich® Liebig condenser

Overall H 200 mm, joint: ST/NS 14/20



Z530964

Aldrich® Liebig condenser

Overall H 200 mm, joint: ST/NS 24/40



Z530999

Aldrich® Liebig condenser

Overall H 300 mm, joint: ST/NS 24/40



Z530948

Aldrich® Liebig condenser

Overall H 60 mm, joint: ST/NS 14/20



Z531014

Aldrich® Liebig condenser

Overall H 400 mm, joint: ST/NS 24/40



Z530956

Aldrich® Liebig condenser

Overall H 100 mm, joint: ST/NS 14/20



Z530980

Aldrich® Liebig condenser

Overall H 300 mm, joint: ST/NS 14/20

Z531056

Aldrich® Liebig condenser

Overall H 600 mm, joint: ST/NS 24/40



Z568945

Aldrich® Liebig condenser with cup

Overall H 140 mm, joint: ST/NS 14/20



Z568988

Aldrich® Liebig condenser with cup

Overall H 200 mm, joint: ST/NS 24/40



Z569011

Aldrich® Liebig condenser with cup

Overall H 300 mm, joint: ST/NS 24/40



Z553670

Aldrich® Liebig condenser with SafetyBarb® hose connectors

Overall L 300 mm



Z553662

Aldrich® Liebig condenser with SafetyBarb® hose connectors

Overall L 200 mm



Z183881

Aldrich® low form dewar flask

capacity 100 mL, hemispherical, depth 3 cm



Z202630

Aldrich® low form dewar flask

capacity 150 mL, cylindrical, depth 3 1/2 cm



Z107530

Aldrich® low form dewar flask

capacity 275 mL, hemispherical, depth 5 1/2 cm



Z107549

Aldrich® low form dewar flask

capacity 600 mL, hemispherical, depth 6 1/2 cm



Z107565

Aldrich® low form dewar flask

capacity 550 mL, cylindrical, inside depth 9 cm



Z202657

Aldrich® low form dewar flask

capacity 850 mL, cylindrical, depth 7 1/2 cm



Z202665

Aldrich® low form dewar flask

capacity 2,500 mL, cylindrical, depth 13 1/2 cm



Z150398

Aldrich® low form dewar flask

capacity 150 mL, hemispherical, depth 4 cm



Z202649

Aldrich® low form dewar flask

capacity 350 mL, cylindrical, depth 7 1/2 cm



Z107557

Aldrich® low form dewar flask

capacity 220 mL, cylindrical, depth 6 1/2 cm



Z287253

Aldrich® low-pressure basic three station manifold

hose outlet I.D. 1/4 in.



Z287326

Aldrich® low-pressure manifold hose barb

hose barb



Z287261

Aldrich® low-pressure three station manifold with fixed outlet pressure regulator

outlet NPTM 1/4 in.



Z202622

Aldrich® Luer lock adapter

male joint: ST/NS 24/40 to male Luer lock

Z173568

Aldrich® Luer lock adapter

female joint: ST/NS 24/40 to male Luer lock



Z219738

Aldrich® manifold with trap

male joint: ST/NS 14/20 (1), male Joints: ST/NS 24/40 (2), PTFE valves



Z152439

Aldrich® mercury bubbler

joint: ST/NS 24/40, capacity 40 mL



Z129607

Aldrich® micro distillation head

joint: ST/NS 24/40



Z220108

Aldrich® micro distillation head with Vigreux indents

One-piece assembly



Z413097

Aldrich® micro distilling splitter head

Jacketed, Overall H 260 mm



Z413100

Aldrich® micro distilling splitter head

Unjacketed, Overall H 260 mm



Z247766

Aldrich® micro short-path distillation apparatus

Jacketed head



Z174513

Aldrich® micro short-path distillation apparatus

Standard head



Z129593

Aldrich® micro sublimation apparatus

joint: ST/NS 24/40



Z122475

Aldrich® Micro Vigreux column

Unjacketed, effective L 190 mm



Z684139

Aldrich® microscale adapter

Claisen, joint: ST/NS 14/10



Z684147

Aldrich® microscale adapter

distilling, joint: ST/NS 14/10



Z684155

Aldrich® microscale adapter

multi-purpose, joint: ST/NS 14/10



Z684201

Aldrich® microscale box

for Economy kit



Z684236

Aldrich® microscale condenser

air reflux, joint: ST/NS 14/10



Z684244

Aldrich® microscale condenser

jacketed reflux, joint: ST/NS 14/10



Z684252

Aldrich® microscale distillation head
Hickman w/ sideport, joint: ST/NS 14/10



Z684260

Aldrich® microscale flask, round-bottom
volume 10 mL, joint: ST/NS 14/10



Z684279

Aldrich® microscale flask, round-bottom
volume 25 mL, joint: ST/NS 14/10

Z558567

Aldrich® microscale glassware kit
Deluxe



Z558575

Aldrich® microscale glassware kit
Economy



Z684295

Aldrich® microscale spin vane
3.0 and 5.0 mL



Z684287

Aldrich® microscale spinbar
PTFE, W × L 2 mm × 7 mm



Z684325

Aldrich® microscale tube
Craig, capacity 2 mL



Z684341

Aldrich® microscale tube
Craig, w/ PTFE plunger, capacity 2 mL



Z684368

Aldrich® microscale tube
drying, joint: ST/NS 14/10



Z684384

Aldrich® microscale tube
GC collection, joint: ST/NS 14/10



Z684392

Aldrich® microscale tube

sublimation



Z223719

Aldrich® mini gas bubbler

capacity 4 mL



Z562424

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 250 mL, pack of 1 ea



Z562467

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 4,000 mL



Z562432

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 500 mL



Z562440

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 1,000 mL



Z562459

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 2,000 mL



Z562416

Aldrich® modified convertible liquid-liquid continuous extractor

capacity 100 mL



Z214825

Aldrich® modified Davies condenser

jacket L 400 mm, joint: ST/NS 24/40



Z249599

Aldrich® modified Dean-Stark trap

Joints: ST/NS 24/40 (2), reservoir capacity 35 mL



Z516295

Aldrich® modified Dean-Stark trap

Joints: ST/NS 29/32 (2), reservoir capacity 8 mL



Z516171

Aldrich® modified Dean-Stark trap

Joints: ST/NS 24/40 (2), reservoir capacity 8 mL

Z249599

Aldrich® modified Dean-Stark trap

Joints: ST/NS 24/40 (2), reservoir capacity 35 mL



Z517178

Aldrich® modified Friedrichs condenser

jacket O.D. 37 mm, Overall H 270 mm, joint: ST/NS 24/40



Z517216

Aldrich® modified Friedrichs condenser

jacket O.D. 54 mm, Overall H 300 mm, joint: ST/NS 24/40



Z553581

Aldrich® modified Friedrichs condenser with SafetyBarb® tubing connectors

jacket O.D. 37 mm, Overall H 270 mm



Z553646

Aldrich® modified Friedrichs condenser with SafetyBarb® tubing connectors

jacket O.D. 37 mm, Overall H 420 mm



Z553654

Aldrich® modified Friedrichs condenser with SafetyBarb® tubing connectors

jacket O.D. 54 mm, Overall H 300 mm



Z231215

Aldrich® modified sublimation apparatus

capacity, \leq 20 g starting material



Z249602

Aldrich® modified, jacketed Dean-Stark trap

joint: ST/NS 24/40, Overall H 300 mm



Z683728

Aldrich® Molarmatic® measuring cylinders

for acetic acid, 1-3 M, Class A, calibrated to contain, volume 350 mL



Z683752

Aldrich® Molarmatic® measuring cylinders

for sulfuric acid, 1-3 M, Class A, calibrated to contain, volume 350 mL



Z683736

Aldrich® Molarmatic® measuring cylinders

for hydrochloric acid, 1-3 M, Class A, calibrated to contain, volume 350 mL

- Z683744
Aldrich® Molarmatic® measuring cylinders
for nitric acid, 1-3 M, Class A, calibrated to contain, volume 350 mL

- Z683760
Aldrich® Molarmatic® measuring cylinders
cylinder set for acids, 1-3 M, Class A, calibrated to contain, volume 350 mL

- Z120812
Aldrich® narrow-mouth Dewar flask caddy
Dewar caddy, for Z120731

- Z413607
Aldrich® offset adapter
With Clear-Seal® joints and drip-tip, joint: ST/NS 24/40

- Z413593
Aldrich® offset adapter
With Clear-Seal® joints and drip-tip, joint: ST/NS 19/22

- Z278580
Aldrich® offset adapter
Without drip-tip, joint: ST/NS 14/20

- Z203238
Aldrich® offset adapter
With drip-tip, joint: ST/NS 29/32

- Z252549
Aldrich® offset adapter
Without drip-tip, joint: ST/NS 29/32

- Z136018
Aldrich® offset adapter
With drip-tip, joint: ST/NS 24/40

- Z252530
Aldrich® offset adapter
Without drip-tip, joint: ST/NS 24/40

- Z414107
Aldrich® offset enlarging adapter
female joint: ST/NS 24/40, male joint: ST/NS 19/22



Z414123

Aldrich® offset enlarging adapter

male joint: ST/NS 24/40, female joint: ST/NS 34/45



Z414069

Aldrich® offset reducing adapter

female joint: ST/NS 19/22, male joint: ST/NS 24/40



Z414085

Aldrich® offset reducing adapter

female joint: ST/NS 24/40, male joint: ST/NS 34/45



Z175714

Aldrich® Oldershaw distilling column

no. of plates: 10

, I.D. × O.D. 28 mm × 64 mm, Joints: ST/NS 29/42 (2)



Z414182

Aldrich® pear-shaped filter flask

joint: ST/NS 24/40



Z421618

Aldrich® pear-shaped filter flask

joint: ST/NS 29/32



Z532347

Aldrich® pear-shaped flask

capacity 100 mL, joint: ST/NS 29/32



Z532312

Aldrich® pear-shaped flask

capacity 50 mL, joint: ST/NS 29/32



Z532320

Aldrich® pear-shaped flask

capacity 100 mL, joint: ST/NS 14/20



Z532304

Aldrich® pear-shaped flask

capacity 50 mL, joint: ST/NS 24/40



Z532266

Aldrich® pear-shaped flask

capacity 5 mL, joint: ST/NS 14/20



Z532274

Aldrich® pear-shaped flask

capacity 10 mL, joint: ST/NS 14/20



Z532339

Aldrich® pear-shaped flask

capacity 100 mL, joint: ST/NS 24/40



Z532282

Aldrich® pear-shaped flask

capacity 25 mL, joint: ST/NS 14/20



Z532290

Aldrich® pear-shaped flask

capacity 50 mL, joint: ST/NS 14/20



Z557587

Aldrich® pear-shaped splash-guard adapter

capacity 100 mL, female joint: ST/NS 24/40, male joint: ST/NS 24/40



Z557625

Aldrich® pear-shaped splash-guard adapter

capacity 100 mL, female joint: ST/NS 29/32, male joint: ST/NS 24/40



Z557579

Aldrich® pear-shaped splash-guard adapter

capacity 100 mL, female joint: ST/NS 24/40

Z414190

Aldrich® pour-out adapter

male joint: ST/NS 29/32



Z172952

Aldrich® pour-out adapter

male joint: ST/NS 14/20



Z172979

Aldrich® pour-out adapter

male joint: ST/NS 24/40



Z517771

Aldrich® powder funnel

joint: ST/NS 14/20, top diam. 60 mm



Z517798

Aldrich® powder funnel

joint: ST/NS 19/22, top diam. 60 mm



Z517801

Aldrich® powder funnel

joint: ST/NS 19/26, top diam. 60 mm



Z517828

Aldrich® powder funnel

joint: ST/NS 24/40, top diam. 100 mm



Z517856

Aldrich® powder funnel

joint: ST/NS 29/32, top diam. 100 mm



Z147702

Aldrich® pressure filter funnel

filter capacity 1,000 mL, frit diam. 90 mm, porosity 25-50 µm, Complete



Z147672

Aldrich® pressure filter funnel

filter capacity 1,000 mL, frit diam. 90 mm, porosity 70-100 µm, Complete



Z147680

Aldrich® pressure filter funnel

filter capacity 250 mL, frit diam. 50 mm, porosity 25-50 µm, Complete



Z147664

Aldrich® pressure filter funnel

filter capacity 500 mL, frit diam. 65 mm, porosity 70-100 µm, Complete



Z147656

Aldrich® pressure filter funnel

filter capacity 250 mL, frit diam. 50 mm, porosity 70-100 µm, Complete



Z147737

Aldrich® pressure filter funnel

filter capacity 1,000 mL, frit diam. 90 mm, porosity 70-100 µm, Funnel only



Z147699

Aldrich® pressure filter funnel

filter capacity 500 mL, frit diam. 65 mm, porosity 25-50 μm , Complete



Z422878

Aldrich® pressure filter/drying funnel
capacity 60 mL



Z422886

Aldrich® pressure filter/drying funnel
capacity 140 mL



Z422908

Aldrich® pressure filter/drying funnel
capacity 600 mL



Z422851

Aldrich® pressure filter/drying funnel
capacity 15 mL



Z422916

Aldrich® pressure filter/drying funnel assemblies with removable fritted disc
funnel capacity 500 mL

Z422924

Aldrich® pressure filter/drying funnel assemblies with removable fritted disc
funnel capacity 1,000 mL



Z422932

Aldrich® pressure filter/drying funnel assemblies with removable fritted disc
funnel capacity 2,000 mL



Z147966

Aldrich® quick-distillation and sample collection tube
joint: ST/NS 35/45, thermometer joint: 10/18



Z163953

Aldrich® reaction tube
Pyrex, L 16 cm



Z530344

Aldrich® reaction vessel bubbler
joint: ST/NS 19/22



Z530336

Aldrich® reaction vessel bubbler
joint: ST/NS 14/20



Z530352

Aldrich® reaction vessel bubbler

joint: ST/NS 29/32



Z104329

Aldrich® reaction vessel bubbler

joint: ST/NS 24/40



Z552909

Aldrich® reaction vessel bubbler with SafetyBarb® hose connectors

joint: ST/NS 29/32



Z552895

Aldrich® reaction vessel bubbler with SafetyBarb® hose connectors

joint: ST/NS 24/40



Z552879

Aldrich® reaction vessel bubbler with SafetyBarb® hose connectors

joint: ST/NS 14/20



Z530565

Aldrich® reagent bottle

capacity 60 mL, joint: ST/NS 14/20, amber bottle



Z530557

Aldrich® reagent bottle

capacity 30 mL, joint: ST/NS 14/20, amber bottle



Z530573

Aldrich® reagent bottle

capacity 125 mL, joint: ST/NS 19/22, amber bottle



Z413887

Aldrich® reducing adapter

female joint: ST/NS 24/40, male joint: ST/NS 34/45



Z413895

Aldrich® reducing adapter

female joint: ST/NS 24/40, male joint: ST/NS 45/50



Z413860

Aldrich® reducing adapter

female joint: ST/NS 19/22, male joint: ST/NS 24/40



Z413852

Aldrich® reducing adapter

female joint: ST/NS 14/20, male joint: ST/NS 24/40



Z413879

Aldrich® reducing adapter

female joint: ST/NS 24/40, male joint: ST/NS 29/32



Z147591

Aldrich® reducing adapter

female joint: ST/NS 24/40, male joint: ST/NS 55/50

Z147958

Aldrich® reverse-flow bubbler

capacity 25 mL , per chamber



Z552666

Aldrich® reverse-flow bubbler with SafetyBarb® hose connectors

capacity 25 mL



Z723169

Aldrich® Rotary Evaporator Adapter Set

joint: ST/NS 24/40



Z723177

Aldrich® Rotary Evaporator Adapter Set

joint: ST/NS 29/32



Z115738

Aldrich® rotary evaporator cleaning adapter

joint: ST/NS 24/40



Z103322

Aldrich® round-bottom flask with septum-inlet

capacity 250 mL, joint: ST/NS 14/20



Z101265

Aldrich® round-bottom flask with septum-inlet

capacity 250 mL, joint: ST/NS 24/40



Z101230

Aldrich® round-bottom flask with septum-inlet

capacity 100 mL, joint: ST/NS 19/22

- Z102180
Aldrich® round-bottom flask with septum-inlet
capacity 50 mL, joint: ST/NS 14/20

- Z101249
Aldrich® round-bottom flask with septum-inlet
capacity 250 mL, joint: ST/NS 19/22

- Z101257
Aldrich® round-bottom flask with septum-inlet
capacity 100 mL, joint: ST/NS 24/40

- Z101273
Aldrich® round-bottom flask with septum-inlet
capacity 500 mL, joint: ST/NS 24/40

- Z103314
Aldrich® round-bottom flask with septum-inlet
capacity 100 mL, joint: ST/NS 14/20

- Z517550
Aldrich® round-bottom flask with septum-inlet
capacity 250 mL, joint: ST/NS 29/32

- Z102172
Aldrich® round-bottom flask with septum-inlet
capacity 25 mL, joint: ST/NS 14/20

- Z517577
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
with 2 mm glass stopcock, capacity 250 mL, joint: ST/NS 29/32

- Z517615
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
with 2 mm PTFE stopcock, capacity 250 mL, joint: ST/NS 29/32

- Z107328
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
capacity 1,000 mL, with 4 mm glass stopcock, joint: ST/NS 24/40

- Z103365
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
capacity 250 mL, with 2 mm PTFE stopcock, joint: ST/NS 14/20

Z101982
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
capacity 1,000 mL, with 4 mm PTFE stopcock, joint: ST/NS 24/40

Z517615
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
with 2 mm PTFE stopcock, capacity 250 mL, joint: ST/NS 29/32

Z517577
Aldrich® round-bottom storage flask with stopcock-equipped septum-inlet
with 2 mm glass stopcock, capacity 250 mL, joint: ST/NS 29/32

Z225339
Aldrich® SAFE-PURGE™ valve
automatic

Z223727
Aldrich® safety bubbler
capacity 15 mL

Z553875
Aldrich® safety bubbler with SafetyBarb® hose connectors
capacity 15 mL , fill mark

Z409278
Aldrich® Schlaker reaction tube
capacity 100 mL, plain joint

Z409324
Aldrich® Schlaker reaction tube
capacity 100 mL, screw-thread joint

Z409251
Aldrich® Schlaker reaction tube
capacity 50 mL, plain joint

Z409294
Aldrich® Schlaker reaction tube
capacity 10 mL, screw-thread joint

Z409243
Aldrich® Schlaker reaction tube
capacity 25 mL, plain joint

Z409308

Aldrich® Schlaker reaction tube

capacity 25 mL, screw-thread joint



Z409235

Aldrich® Schlaker reaction tube

capacity 10 mL, plain joint



Z173169

Aldrich® Schlenk filter tube

capacity 75 mL, porosity 25-50 µm, male Joints: ST/NS 14/20 (2), female Joints: ST/NS 14/20 (2)



Z173134

Aldrich® Schlenk-type adapter

90°-Bent adapter with glass stopcock and hose barb, male joint: threaded 14/20



Z220337

Aldrich® Schlenk-type female joint cap

female joint: ST/NS 29/32



Z167576

Aldrich® Schlenk-type hex head stopper

male joint: ST/NS 14/20



Z167525

Aldrich® Schlenk-type Liebig condenser

male joint: ST/NS 14/20, female joint: ST/NS 14/20



Z230855

Aldrich® Schlenk-type male joint cap

male joint: ST/NS 14/20



Z167517

Aldrich® Schlenk-type Vigreux distilling column

male joint: ST/NS 14/20, female joint: ST/NS 14/20, L 150 mm



Z550574

Aldrich® separatory funnel with glass stopcock

capacity 25 mL

Z550663

Aldrich® separatory funnel with glass stopcock

capacity 2,000 mL



Z550582

Aldrich® separatory funnel with glass stopcock
capacity 125 mL



Z548030

Aldrich® separatory funnel with glass stopcock
capacity 250 mL



Z548014

Aldrich® separatory funnel with glass stopcock
capacity 50 mL



Z548022

Aldrich® separatory funnel with glass stopcock
capacity 60 mL



Z550647

Aldrich® separatory funnel with glass stopcock
capacity 100 mL



Z550655

Aldrich® separatory funnel with glass stopcock
capacity 500 mL



Z548049

Aldrich® separatory funnel with glass stopcock
capacity 1,000 mL



Z550760

Aldrich® separatory funnel with PTFE stopcock
capacity 250 mL



Z550752

Aldrich® separatory funnel with PTFE stopcock
capacity 100 mL



Z548065

Aldrich® separatory funnel with PTFE stopcock
capacity 50 mL



Z548057

Aldrich® separatory funnel with PTFE stopcock
capacity 25 mL



Z550779

Aldrich® separatory funnel with PTFE stopcock
capacity 1,000 mL



Z548162

Aldrich® separatory funnel with PTFE stopcock
capacity 2,000 mL



Z548146

Aldrich® separatory funnel with PTFE stopcock
capacity 125 mL



Z548154

Aldrich® separatory funnel with PTFE stopcock
capacity 500 mL



Z550698

Aldrich® separatory funnel with PTFE stopcock
capacity 60 mL



Z102253

Aldrich® septum-inlet adapter with side-arm
joint: ST/NS 14/20



Z101311

Aldrich® septum-inlet adapter with side-arm
joint: ST/NS 19/22



Z414263

Aldrich® septum-inlet adapter with stopcock
Plain, joint: ST/NS 29/32, PTFE stopcock

Z107387

Aldrich® septum-inlet adapter with stopcock
Plain, joint: ST/NS 14/20, glass stopcock



Z101362

Aldrich® septum-inlet adapter with stopcock
Plain, joint: ST/NS 19/22, PTFE stopcock



Z101370

Aldrich® septum-inlet adapter with stopcock
Plain, joint: ST/NS 24/40, PTFE stopcock



Z150355

Aldrich® septum-inlet adapter with stopcock

Plain, joint: ST/NS 24/40, PTFE stopcock



Z107409

Aldrich® septum-inlet adapter with stopcock

Plain, joint: ST/NS 24/40, glass stopcock



Z102288

Aldrich® septum-inlet adapter with stopcock

Plain, joint: ST/NS 14/20, PTFE stopcock



Z414328

Aldrich® septum-inlet adapter with stopcock and side-arm

Plain, joint: ST/NS 24/40, glass stopcock



Z414336

Aldrich® septum-inlet adapter with stopcock and side-arm

Plain, joint: ST/NS 29/32, glass stopcock



Z107425

Aldrich® septum-inlet adapter with stopcock and side-arm

Plain, joint: ST/NS 19/22, glass stopcock



Z102318

Aldrich® septum-inlet adapter with stopcock and side-arm

Plain, joint: ST/NS 19/22, PTFE stopcock



Z150339

Aldrich® septum-inlet adapter with stopcock and side-arm

Plain, joint: ST/NS 24/40, PTFE stopcock



Z414395

Aldrich® septum-inlet adapter with stopcock on side-arm

joint: ST/NS 29/32, glass stopcock



Z414387

Aldrich® septum-inlet adapter with stopcock on side-arm

joint: ST/NS 29/32, PTFE stopcock



Z101354

Aldrich® septum-inlet adapter with stopcock on side-arm

joint: ST/NS 24/40, glass stopcock



Z101346

Aldrich® septum-inlet adapter with stopcock on side-arm

joint: ST/NS 19/22, glass stopcock



Z223603

Aldrich® septum-inlet adapter, female

Plain, joint: ST/NS 29/32



Z223646

Aldrich® septum-inlet adapter, female

Screw-thread, joint: ST/NS 29/32



Z414220

Aldrich® septum-inlet adapter, female

Plain, joint: ST/NS 19/22



Z223670

Aldrich® septum-inlet adapter, in-line

Plain, Joints: ST/NS 29/32 (2)



Z414255

Aldrich® septum-inlet adapter, in-line

Plain, Joints: ST/NS 24/40 (2)

Z101303

Aldrich® septum-inlet adapter, male

Plain, joint: ST/NS 24/40



Z102245

Aldrich® septum-inlet adapter, male

Plain, joint: ST/NS 14/20



Z223530

Aldrich® septum-inlet adapter, male

Screw-thread, joint: ST/NS 24/40



Z101281

Aldrich® septum-inlet adapter, male

Plain, joint: ST/NS 19/22



Z414204

Aldrich® septum-inlet adapter, male

Plain, joint: ST/NS 29/32



Z561983

Aldrich® septum-inlet flushing adapter with stopcock

4 mm glass stopcock, Joints: ST/NS 24/40 (2)



Z561975

Aldrich® septum-inlet flushing adapter with stopcock

4 mm glass stopcock, Joints: ST/NS 14/20 (2)



Z562009

Aldrich® septum-inlet flushing adapter with stopcock

PTFE stopcock, Joints: ST/NS 24/40 (2)



Z561991

Aldrich® septum-inlet flushing adapter with stopcock

PTFE stopcock, Joints: ST/NS 14/20 (2)



Z115754

Aldrich® short condenser

joint: ST/NS 24/40, jacket L 175 mm



Z174440

Aldrich® short-path distillation apparatus

Standard head



Z247820

Aldrich® short-path distillation apparatus

Jacketed head



Z220094

Aldrich® short-path distillation head

Joints: ST/NS 24/40 (2), thermometer joint: ST/NS 10/30



Z530387

Aldrich® short-path distillation head

Joints: ST/NS 14/20 (2), thermometer joint: ST/NS 10/18



Z530409

Aldrich® short-path distillation head

Joints: ST/NS 29/32 (2), thermometer joint: ST/NS 10/30



Z530395

Aldrich® short-path distillation head

thermometer joint: ST/NS 10/18, Joints: ST/NS 19/22 (2)



Z415529

Aldrich® short-path distillation head with jacketed condenser

Joints: ST/NS 14/20 (2), thermometer joint: ST/NS 10/18

- Z415545
Aldrich® short-path distillation head with jacketed condenser
Joints: ST/NS 24/40 (2), thermometer joint: ST/NS 10/30

- Z415537
Aldrich® short-path distillation head with jacketed condenser
Joints: ST/NS 24/40 (2), thermometer joint: ST/NS 10/30

- Z516201
Aldrich® short-path distillation head with jacketed condenser
Joints: ST/NS 29/32 (2), thermometer joint: ST/NS 10/30

- Z415588
Aldrich® side-arm distilling head
joint: ST/NS 14/20, thermometer joint: ST/NS 10/18

- Z415596
Aldrich® side-arm distilling head
joint: ST/NS 24/40, thermometer joint: ST/NS 10/30

- Z415618
Aldrich® side-arm distilling head
joint: ST/NS 24/40, thermometer joint: ST/NS 10/30

- Z516236
Aldrich® side-arm distilling head
joint: ST/NS 29/32, thermometer joint: ST/NS 10/30

- Z173517
Aldrich® silvered bellows column
L 280 mm, joint: ST/NS 24/40

- Z175781
Aldrich® silvered, vacuum-jacketed Vigreux® column
L 250 mm

- Z175803
Aldrich® silvered, vacuum-jacketed Vigreux® column
L 400 mm

- Z561797
Aldrich® single bank manifold with 1 hose connection and 1 closed end
positions, 5, bore size 4 mm, glass stopcock



Z561770

Aldrich® single bank manifold with 1 hose connection and 1 closed end positions, 3, bore size 4 mm, glass stopcock



Z561789

Aldrich® single bank manifold with 1 hose connection and 1 closed end positions, 4, bore size 4 mm, glass stopcock



Z748080

Aldrich® single bank manifold with 1 hose connection and 1 closed end positions, 4, bore size 4 mm, PTFE stopcock



Z532169

Aldrich® single bank manifold with glass stopcocks
Manifold with vacuum-gauge port, positions, 3



Z532185

Aldrich® single bank manifold with glass stopcocks
Manifold with vacuum-gauge port, positions, 5



Z532150

Aldrich® single bank manifold with glass stopcocks
Standard manifold, positions, 5



Z532134

Aldrich® single bank manifold with glass stopcocks
Standard manifold, positions, 3



Z532142

Aldrich® single bank manifold with glass stopcocks
Standard manifold, positions, 4



Z532177

Aldrich® single bank manifold with glass stopcocks
Manifold with vacuum-gauge port, positions, 4



Z568481

Aldrich® single bank manifold with PTFE stopcocks
4 positions



Z568503

Aldrich® single bank manifold with PTFE stopcocks
5 positions



Z568473

Aldrich® single bank manifold with PTFE stopcocks

3 positions

Z532258

Aldrich® single bank manifolds with high-vacuum PTFE valves

manifold with vacuum-gauge port, positions, 5



Z532231

Aldrich® single bank manifolds with high-vacuum PTFE valves

manifold with vacuum-gauge port, positions, 4



Z532223

Aldrich® single bank manifolds with high-vacuum PTFE valves

manifold with vacuum-gauge port, positions, 3



Z532193

Aldrich® single bank manifolds with high-vacuum PTFE valves

standard manifold, positions, 3



Z532207

Aldrich® single bank manifolds with high-vacuum PTFE valves

standard manifold, positions, 4



Z532215

Aldrich® single bank manifolds with high-vacuum PTFE valves

standard manifold, positions, 5



Z100641

Aldrich® single-neck round-bottom flask

capacity 25 mL, joint: ST/NS 14/20



Z100668

Aldrich® single-neck round-bottom flask

capacity 50 mL, joint: ST/NS 14/20



Z100633

Aldrich® single-neck round-bottom flask

capacity 10 mL, joint: ST/NS 14/20



Z100676

Aldrich® single-neck round-bottom flask

capacity 100 mL, joint: ST/NS 14/20



Z414522

Aldrich® single-neck round-bottom flask

capacity 1,000 mL, joint: ST/NS 24/40



Z418617

Aldrich® single-neck round-bottom flask

capacity 12,000 mL, joint: ST/NS 55/50



Z548863

Aldrich® single-neck round-bottom flask

capacity 50 mL, joint: ST/NS 29/32



Z418625

Aldrich® single-neck round-bottom flask

capacity 22,000 mL, joint: ST/NS 45/50



Z548928

Aldrich® single-neck round-bottom flask

capacity 1,000 mL, joint: ST/NS 29/32



Z414530

Aldrich® single-neck round-bottom flask

capacity 2,000 mL, joint: ST/NS 24/40



Z418633

Aldrich® single-neck round-bottom flask

capacity 22,000 mL, joint: ST/NS 55/50



Z548871

Aldrich® single-neck round-bottom flask

capacity 100 mL, joint: ST/NS 29/32



Z414492

Aldrich® single-neck round-bottom flask

capacity 100 mL, joint: ST/NS 24/40



Z548944

Aldrich® single-neck round-bottom flask

capacity 3,000 mL, joint: ST/NS 29/32

Z414514

Aldrich® single-neck round-bottom flask

capacity 500 mL, joint: ST/NS 24/40



Z418595

Aldrich® single-neck round-bottom flask
capacity 5,000 mL, joint: ST/NS 24/40



Z548901

Aldrich® single-neck round-bottom flask
capacity 500 mL, joint: ST/NS 29/32



Z548952

Aldrich® single-neck round-bottom flask
capacity 5,000 mL, joint: ST/NS 29/32



Z414484

Aldrich® single-neck round-bottom flask
capacity 50 mL, joint: ST/NS 24/40



Z548936

Aldrich® single-neck round-bottom flask
capacity 2,000 mL, joint: ST/NS 29/32



Z418609

Aldrich® single-neck round-bottom flask
capacity 12,000 mL, joint: ST/NS 45/50



Z414506

Aldrich® single-neck round-bottom flask
capacity 250 mL, joint: ST/NS 24/40



Z548898

Aldrich® single-neck round-bottom flask
capacity 250 mL, joint: ST/NS 29/32



Z723134

Aldrich® single-neck round-bottom flask
capacity 5 mL, joint: ST/NS 14/20



Z100692

Aldrich® single-neck round-bottom flask
capacity 500 mL, joint: ST/NS 14/20



Z100684

Aldrich® single-neck round-bottom flask
capacity 250 mL, joint: ST/NS 14/20



Z514578

Aldrich® single-neck round-bottom flask

capacity 250 mL, joint: ST/NS 29/42



Z100374

Aldrich® single-neck round-bottom flask with Clear-Seal® joint

capacity 500 mL



Z100331

Aldrich® single-neck round-bottom flask with Clear-Seal® joint

capacity 50 mL



Z100358

Aldrich® single-neck round-bottom flask with Clear-Seal® joint

capacity 100 mL



Z100366

Aldrich® single-neck round-bottom flask with Clear-Seal® joint

capacity 250 mL



Z100323

Aldrich® single-neck round-bottom flask with Clear-Seal® joint

capacity 25 mL



Z516368

Aldrich® single-neck round-bottom flask, male

capacity 250 mL, joint: ST/NS 14/20



Z516341

Aldrich® single-neck round-bottom flask, male

capacity 100 mL, joint: ST/NS 14/20

Z516392

Aldrich® single-neck round-bottom flask, male

capacity 250 mL, joint: ST/NS 24/40



Z516422

Aldrich® single-neck round-bottom flask, male

capacity 250 mL, joint: ST/NS 29/32



Z516430

Aldrich® single-neck round-bottom flask, male

capacity 500 mL, joint: ST/NS 29/32



Z516384

Aldrich® single-neck round-bottom flask, male

capacity 100 mL, joint: ST/NS 24/40



Z516376

Aldrich® single-neck round-bottom flask, male

capacity 500 mL, joint: ST/NS 14/20



Z516414

Aldrich® single-neck round-bottom flask, male

capacity 100 mL, joint: ST/NS 29/32



Z516406

Aldrich® single-neck round-bottom flask, male

capacity 500 mL, joint: ST/NS 24/40



Z569941

Aldrich® sleeve stopper septa, fluoroelastomer FKM

bottom I.D. × O.D. 4.2 mm × 10.7 mm, black, fits 10/30 joints



Z517011

Aldrich® Snyder distilling column

three sections, Joints: ST/NS 14/20 (2)



Z517038

Aldrich® Snyder distilling column

three sections, Joints: ST/NS 19/22 (2)



Z517046

Aldrich® Snyder distilling column

Joints: ST/NS 24/40 (2), three sections



Z516961

Aldrich® Snyder distilling column

Joints: ST/NS 14/20 (2), two sections



Z517100

Aldrich® Snyder distilling column

Joints: ST/NS 24/40 (2), five sections



Z162302

Aldrich® solid-phase peptide synthesis flask

center joint: ST/NS 34/45, capacity 5 L



Z162280

Aldrich® solid-phase peptide synthesis flask

capacity 12.1 L, center joint: ST/NS 45/50



Z162299

Aldrich® solid-phase peptide synthesis flask

center joint: ST/NS 24/40, capacity 1 L



Z515906

Aldrich® solvent storage flask

joint: ST/NS 29/32, capacity 100 mL



Z515957

Aldrich® solvent storage flask

capacity 500 mL, joint: ST/NS 29/32



Z515876

Aldrich® solvent storage flask

joint: ST/NS 14/20, capacity 50 mL



Z515922

Aldrich® solvent storage flask

joint: ST/NS 24/40, capacity 250 mL

Z515930

Aldrich® solvent storage flask

joint: ST/NS 29/32, capacity 250 mL



Z515949

Aldrich® solvent storage flask

joint: ST/NS 24/40, capacity 500 mL



Z515973

Aldrich® solvent storage flask

joint: ST/NS 29/32, capacity 1,000 mL



Z515868

Aldrich® solvent storage flask

capacity 25 mL, joint: ST/NS 14/20



Z515884

Aldrich® solvent storage flask

joint: ST/NS 14/20, capacity 100 mL



Z515965

Aldrich® solvent storage flask

joint: ST/NS 24/40, capacity 1,000 mL



Z515892

Aldrich® solvent storage flask

joint: ST/NS 24/40, capacity 100 mL



Z557862

Aldrich® solvent storage/dispensing flask, graduated, w/ Sure/Stor™ inlet

top joint: ST/NS 24/40, bottom joint: ST/NS 14/20



Z568538

Aldrich® solvent storage/dispensing flask, septum-inlet, with PTFE inlet valve

joint: ST/NS 24/40, capacity 100 mL



Z684457

Aldrich® solvent storage/dispensing flask, septum-inlet, with PTFE inlet valve

joint: ST/NS 29/32, capacity 100 mL



Z548790

Aldrich® solvent-pouring funnel

stem L × O.D. 65 mm × 15 mm



Z548839

Aldrich® solvent-pouring funnel

stem L × O.D. 100 mm × 28 mm



Z548812

Aldrich® solvent-pouring funnel

stem L × O.D. 65 mm × 28 mm



Z548820

Aldrich® solvent-pouring funnel

stem L × O.D. 100 mm × 22 mm



Z548804

Aldrich® solvent-pouring funnel

stem L × O.D. 65 mm × 22 mm



Z147915

Aldrich® solvent-still-head apparatus

head capacity 1,000 mL



Z556181

Aldrich® Soxhlet extraction apparatus

extractor capacity 145 mL



Z556173

Aldrich® Soxhlet extraction apparatus

extractor capacity 85 mL



Z556165

Aldrich® Soxhlet extraction apparatus

extractor capacity 50 mL



Z556203

Aldrich® Soxhlet extraction apparatus

extractor capacity 200 mL

Z120723

Aldrich® spherical narrow-mouth Dewar flasks

capacity 2,000 mL, spherical, extended aluminum base



Z548987

Aldrich® splash protector

female joint: ST/NS 29/32, male joint: ST/NS 24/40



Z548960

Aldrich® splash protector

female joint: ST/NS 24/40, male joint: ST/NS 14/20



Z548979

Aldrich® splash protector

female joint: ST/NS 29/32, male joint: ST/NS 14/20



Z404624

Aldrich® splash protector

female joint: ST/NS 29/32, male joint: ST/NS 29/32



Z243892

Aldrich® splash protector

female joint: ST/NS 24/40, male joint: ST/NS 24/40



Z245577

Aldrich® stainless steel Buchner funnel

funnel O.D. 25 cm



Z245585

Aldrich® stainless steel Buchner funnel

funnel O.D. × I.D. 50.5 cm × 50.0 cm



Z413399

Aldrich® standard distilling head

Jacketed, Overall H 490 mm, Joints: ST/NS 24/40 (3)



Z203386

Aldrich® standard distilling head

Jacketed, Overall H 490 mm, Joints: ST/NS 29/32 (2)



Z413674

Aldrich® straight adapter

Without drip-tip, joint: ST/NS 19/22



Z413682

Aldrich® straight adapter

Without drip-tip, joint: ST/NS 24/40



Z413712

Aldrich® straight adapter

With Clear-Seal® joints and drip-tip, joint: ST/NS 24/40



Z413720

Aldrich® straight adapter

With drip-tip, joint: ST/NS 14/20



Z413739

Aldrich® straight adapter

With drip-tip, joint: ST/NS 19/22



Z413666

Aldrich® straight adapter

Without drip-tip, joint: ST/NS 14/20



Z413690

Aldrich® straight adapter

Without drip-tip, joint: ST/NS 29/32



Z413704

Aldrich® straight adapter

With Clear-Seal® joints and drip-tip, joint: ST/NS 19/22



Z136034

Aldrich® straight adapter

With drip-tip, joint: ST/NS 24/40



Z530301

Aldrich® straight vacuum-distilling adapter

joint: ST/NS 29/32

Z530271

Aldrich® straight vacuum-distilling adapter

joint: ST/NS 14/20



Z285447

Aldrich® straight vacuum-distilling adapter

joint: ST/NS 24/40



Z122548

Aldrich® student glass lab kit

joint: ST/NS 14/20



Z221171

Aldrich® sublimation apparatus

capacity, \leq 3 g starting material



Z221163

Aldrich® sublimation apparatus

capacity, \leq 12 g starting material



Z557072

Aldrich® sublimation head, for Z221163

borosilicate glass, pkg of 1 ea



Z557056

Aldrich® sublimation head, for Z221171

borosilicate glass, pkg of 1 ea



Z557080

Aldrich® sublimation reservoir, for Z221163

includes hardware



Z557064

Aldrich® sublimation reservoir, for Z221171

includes hardware



Z224979

Aldrich® super condenser

Overall H 320 mm, joint: ST/NS 24/40



Z225002

Aldrich® super condenser

Overall H 510 mm, joint: ST/NS 24/40



Z224987

Aldrich® super condenser

Overall H 370 mm, joint: ST/NS 24/40



Z517437

Aldrich® super condenser

Overall H 510 mm, joint: ST/NS 29/32



Z517429

Aldrich® super condenser

Overall H 410 mm, joint: ST/NS 29/32



Z763306

Aldrich® Sure/Seal™ cap with hole

polypropylene, pkg of 5 ea



Z763284

Aldrich® Sure/Seal™ joint adapter

with PTFE-faced EPDM rubber septum, PTFE body, joint: 14/20



Z406317

Aldrich® Sure/Seal™ polypropylene overcaps

thread for 33 mm, pack of 50 ea



Z407186

Aldrich® Sure/Seal™ septum-inlet transfer adapter

polypropylene, pkg of 1 ea



Z556351

Aldrich® Sure/Stor™ adapter

joint: ST/NS 19/22



Z556378

Aldrich® Sure/Stor™ adapter

joint: ST/NS 24/40

Z556343

Aldrich® Sure/Stor™ adapter

joint: ST/NS 14/20



Z405043

Aldrich® Sure/Stor™ flask
capacity 25 mL, plastic-coated glass



Z404985

Aldrich® Sure/Stor™ flask
capacity 50 mL, clear glass



Z404993

Aldrich® Sure/Stor™ flask
capacity 100 mL, clear glass



Z405108

Aldrich® Sure/Stor™ flask
capacity 1,000 mL, plastic-coated glass



Z405019

Aldrich® Sure/Stor™ flask
capacity 500 mL, clear glass



Z405094

Aldrich® Sure/Stor™ flask
capacity 500 mL, plastic-coated glass



Z405078

Aldrich® Sure/Stor™ flask
capacity 100 mL, plastic-coated glass



Z405051

Aldrich® Sure/Stor™ flask
capacity 50 mL, plastic-coated glass



Z405116

Aldrich® Sure/Stor™ flask
capacity 2,000 mL, plastic-coated glass



Z404977

Aldrich® Sure/Stor™ flask
capacity 25 mL, clear glass



Z405000

Aldrich® Sure/Stor™ flask
capacity 250 mL, clear glass



Z405027

Aldrich® Sure/Stor™ flask

capacity 1,000 mL, clear glass



Z421022

Aldrich® swivel McLeod vacuum gauge

McLeod gauge (Oil swivel)



Z417033

Aldrich® System 45™ open-top caps

diam. 32 mm



Z417041

Aldrich® System 45™ open-top caps

diam. 45 mm



Z418137

Aldrich® System 45™ powder addition funnel

capacity 50 mL



Z418145

Aldrich® System 45™ powder addition funnel

capacity 125 mL



Z419672

Aldrich® System 45™ PTFE-faced silicone cap liners

diam. 45 mm



Z512257

Aldrich® System 45™ solid-top caps

diam. 25 mm

Z418242

Aldrich® System 45™ Squibb separatory funnel

capacity 1,000 mL



Z418218

Aldrich® System 45™ Squibb separatory funnel

capacity 125 mL



Z418226

Aldrich® System 45™ Squibb separatory funnel

capacity 250 mL



Z418234

Aldrich® System 45™ Squibb separatory funnel

capacity 500 mL



Z417394

Aldrich® System 45™ three-hole delivery cap

PTFE, thread for 45 mm, pkg of 1 ea



Z418501

Aldrich® System 45™ vessel with cap and fritted disc

capacity 20 mL



Z418536

Aldrich® System 45™ vessel with cap and fritted disc

capacity 125 mL



Z418544

Aldrich® System 45™ vessel with cap and fritted disc

capacity 250 mL



Z418528

Aldrich® System 45™ vessel with cap and fritted disc

capacity 60 mL



Z551775

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 29/42, GL 18 thread



Z552755

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 24/40, GL 18 thread



Z551821

Aldrich® Thermometer Adapter

offset, male joint: ST/NS 24/40, GL 14 thread



Z552720

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 29/42, GL 14 thread



Z552704

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 19/22, GL 14 thread



Z552712

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 24/40, GL 14 thread



Z552674

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 10/18, GL 14 thread



Z552682

Aldrich® Thermometer Adapter

straight, male joint: ST/NS 14/20, GL 14 thread



Z543748

Aldrich® thermometer adapter for Aldrich student glass kit

joint: ST/NS 14/20, pkg of 1 ea



Z569429

Aldrich® thermometer adapter sealing ring gasket

GL-14



Z556866

Aldrich® thermometer extension Benchclamp™

nickel plated (finish), pkg of 1 ea

Z556343

Aldrich® Sure/Stor™ adapter

joint: ST/NS 14/20



Z404985

Aldrich® Sure/Stor™ flask

capacity 50 mL, clear glass



Z405000

Aldrich® Sure/Stor™ flask

capacity 250 mL, clear glass



Z405043

Aldrich® Sure/Stor™ flask

capacity 25 mL, plastic-coated glass



Z405027

Aldrich® Sure/Stor™ flask

capacity 1,000 mL, clear glass



Z404993

Aldrich® Sure/Stor™ flask

capacity 100 mL, clear glass



Z405108

Aldrich® Sure/Stor™ flask

capacity 1,000 mL, plastic-coated glass



Z404977

Aldrich® Sure/Stor™ flask

capacity 25 mL, clear glass



Z405019

Aldrich® Sure/Stor™ flask

capacity 500 mL, clear glass



Z405094

Aldrich® Sure/Stor™ flask

capacity 500 mL, plastic-coated glass



Z405078

Aldrich® Sure/Stor™ flask

capacity 100 mL, plastic-coated glass



Z405051

Aldrich® Sure/Stor™ flask

capacity 50 mL, plastic-coated glass



Z405116

Aldrich® Sure/Stor™ flask

capacity 2,000 mL, plastic-coated glass



Z421022

Aldrich® swivel McLeod vacuum gauge

McLeod gauge (Oil swivel)



Z417033

Aldrich® System 45™ open-top caps

diam. 32 mm



Z417041

Aldrich® System 45™ open-top caps

diam. 45 mm



Z418137

Aldrich® System 45™ powder addition funnel

capacity 50 mL



Z418145

Aldrich® System 45™ powder addition funnel
capacity 125 mL



Z419672

Aldrich® System 45™ PTFE-faced silicone cap liners
diam. 45 mm



Z512257

Aldrich® System 45™ solid-top caps
diam. 25 mm

Z418242

Aldrich® System 45™ Squibb separatory funnel
capacity 1,000 mL



Z418226

Aldrich® System 45™ Squibb separatory funnel
capacity 250 mL



Z418234

Aldrich® System 45™ Squibb separatory funnel
capacity 500 mL



Z418218

Aldrich® System 45™ Squibb separatory funnel
capacity 125 mL



Z417394

Aldrich® System 45™ three-hole delivery cap
PTFE, thread for 45 mm, pkg of 1 ea



Z418501

Aldrich® System 45™ vessel with cap and fritted disc
capacity 20 mL



Z418536

Aldrich® System 45™ vessel with cap and fritted disc
capacity 125 mL



Z418544

Aldrich® System 45™ vessel with cap and fritted disc
capacity 250 mL



Z418528

Aldrich® System 45™ vessel with cap and fritted disc
capacity 60 mL



Z551775

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 29/42, GL 18 thread



Z552755

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 24/40, GL 18 thread



Z551821

Aldrich® Thermometer Adapter
offset, male joint: ST/NS 24/40, GL 14 thread



Z552720

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 29/42, GL 14 thread



Z552704

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 19/22, GL 14 thread



Z552712

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 24/40, GL 14 thread



Z552674

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 10/18, GL 14 thread



Z552682

Aldrich® Thermometer Adapter
straight, male joint: ST/NS 14/20, GL 14 thread



Z543748

Aldrich® thermometer adapter for Aldrich student glass kit
joint: ST/NS 14/20, pkg of 1 ea



Z569429

Aldrich® thermometer adapter sealing ring gasket
GL-14



Z556866

Aldrich® thermometer extension Benchclamp™

nickel plated (finish), pkg of 1 ea

Z532940

Aldrich® three-neck flask with bottom outlet

capacity 50 mL, joint: ST/NS 14/20



Z533017

Aldrich® three-neck flask with bottom outlet

capacity 500 mL, joint: ST/NS 24/40



Z532967

Aldrich® three-neck flask with bottom outlet

capacity 100 mL, joint: ST/NS 24/40



Z533025

Aldrich® three-neck flask with bottom outlet

capacity 500 mL, joint: ST/NS 29/32



Z122459

Aldrich® three-neck round-bottom flask

angled, capacity 100 mL, joint: ST/NS 14/20



Z418714

Aldrich® three-neck round-bottom flask

angled, capacity 1,000 mL, joint: ST/NS 24/40



Z516627

Aldrich® three-neck round-bottom flask

angled, capacity 250 mL, joint: ST/NS 29/32



Z418641

Aldrich® three-neck round-bottom flask

angled, capacity 50 mL, joint: ST/NS 14/20



Z516724

Aldrich® three-neck round-bottom flask

vertical, capacity 100 mL, joint: ST/NS 14/20



Z516740

Aldrich® three-neck round-bottom flask

vertical, capacity 250 mL, joint: ST/NS 14/20



Z516813

Aldrich® three-neck round-bottom flask

vertical, capacity 1,000 mL, joint: ST/NS 29/32



Z418676

Aldrich® three-neck round-bottom flask

angled, capacity 500 mL, joint: ST/NS 14/20



Z516643

Aldrich® three-neck round-bottom flask

angled, capacity 1,000 mL, joint: ST/NS 29/32



Z418684

Aldrich® three-neck round-bottom flask

angled, capacity 100 mL, joint: ST/NS 24/40



Z516783

Aldrich® three-neck round-bottom flask

vertical, capacity 500 mL, joint: ST/NS 24/40



Z516732

Aldrich® three-neck round-bottom flask

vertical, capacity 100 mL, joint: ST/NS 24/40



Z421960

Aldrich® three-neck round-bottom flask

vertical, capacity 12,000 mL, center joint: ST/NS 34/45, side Joints: ST/NS 24/40 (2)



Z421979

Aldrich® three-neck round-bottom flask

vertical, capacity 12,000 mL, center joint: ST/NS 45/50, side Joints: ST/NS 24/40 (2)



Z421987

Aldrich® three-neck round-bottom flask

vertical, capacity 22,000 mL, center joint: ST/NS 45/50, side Joints: ST/NS 24/40 (2)



Z418692

Aldrich® three-neck round-bottom flask

angled, capacity 250 mL, joint: ST/NS 24/40

Z418668

Aldrich® three-neck round-bottom flask

angled, capacity 250 mL, joint: ST/NS 14/20



Z516791

Aldrich® three-neck round-bottom flask

vertical, capacity 500 mL, joint: ST/NS 29/32



Z516716

Aldrich® three-neck round-bottom flask

vertical, capacity 50 mL, joint: ST/NS 14/20



Z516678

Aldrich® three-neck round-bottom flask

angled, capacity 500 mL, joint: ST/NS 34/45, side Joints: ST/NS 24/40 (2)



Z516759

Aldrich® three-neck round-bottom flask

vertical, capacity 250 mL, joint: ST/NS 24/40



Z418706

Aldrich® three-neck round-bottom flask

angled, capacity 500 mL, joint: ST/NS 24/40



Z516767

Aldrich® three-neck round-bottom flask

vertical, capacity 250 mL, joint: ST/NS 29/32



Z516635

Aldrich® three-neck round-bottom flask

angled, capacity 500 mL, joint: ST/NS 29/32



Z516805

Aldrich® three-neck round-bottom flask

vertical, capacity 1,000 mL, joint: ST/NS 24/40



Z550337

Aldrich® three-neck round-bottom flask

angled, capacity 25 mL, joint: ST/NS 14/20



Z514608

Aldrich® three-neck round-bottom flask

angled, capacity 250 mL, joint: ST/NS 29/42



Z514616

Aldrich® three-neck round-bottom flask

angled, capacity 500 mL, joint: ST/NS 29/42



Z514632

Aldrich® three-neck round-bottom flask

vertical, capacity 250 mL, joint: ST/NS 29/42



Z547794

Aldrich® three-neck round-bottom flask

vertical, capacity 25 mL, joint: ST/NS 14/20



Z413526

Aldrich® three-way adapter

joint: ST/NS 19/22



Z413534

Aldrich® three-way adapter

joint: ST/NS 24/40



Z122408

Aldrich® three-way adapter

joint: ST/NS 14/20



Z203181

Aldrich® three-way adapter

joint: ST/NS 29/32



Z413542

Aldrich® three-way adapter with Clear-Seal® joints

With Clear-Seal® joints, joint: ST/NS 24/40



Z100277

Aldrich® three-way adapter with Clear-Seal® joints

With Clear-Seal® joints, joint: ST/NS 19/22

Z413577

Aldrich® three-way adapter with thermometer joint

joint: ST/NS 29/32



Z413550

Aldrich® three-way adapter with thermometer joint

joint: ST/NS 14/20



Z413569

Aldrich® three-way adapter with thermometer joint

joint: ST/NS 19/22



Z223360

Aldrich® three-way adapter with thermometer joint

joint: ST/NS 24/40



Z278629

Aldrich® TLC development chamber

Single slot chamber, L × O.D. 95.9 mm × 25.4 mm



Z421936

Aldrich® triple-coil condenser

single stack, joint: SJ 75/50



Z421952

Aldrich® triple-coil condenser

double stack, joint: SJ 75/50



Z421944

Aldrich® triple-coil condenser

double stack, joint: SJ 65/40



Z516864

Aldrich® two-neck round-bottom flask

capacity 250 mL, Joints: ST/NS 14/20 (2)



Z516848

Aldrich® two-neck round-bottom flask

capacity 100 mL, Joints: ST/NS 14/20 (2)



Z516910

Aldrich® two-neck round-bottom flask

capacity 500 mL, Joints: ST/NS 29/32 (2)



Z516821

Aldrich® two-neck round-bottom flask

capacity 50 mL, Joints: ST/NS 14/20 (2)



Z516945

Aldrich® two-neck round-bottom flask

capacity 1,000 mL, Joints: ST/NS 29/32 (2)



Z516872

Aldrich® two-neck round-bottom flask

capacity 250 mL, Joints: ST/NS 24/40 (2)



Z516902

Aldrich® two-neck round-bottom flask

capacity 500 mL, Joints: ST/NS 24/40 (2)



Z516937

Aldrich® two-neck round-bottom flask

capacity 1,000 mL, Joints: ST/NS 24/40 (2)



Z516880

Aldrich® two-neck round-bottom flask

capacity 250 mL, Joints: ST/NS 29/32 (2)



Z516856

Aldrich® two-neck round-bottom flask

capacity 100 mL, Joints: ST/NS 24/40 (2)



Z555584

Aldrich® two-neck solvent storage flask

capacity 250 mL



Z555592

Aldrich® two-neck solvent storage flask

capacity 500 mL

Z555576

Aldrich® two-neck solvent storage flask

capacity 100 mL



Z174238

Aldrich® two-piece vacuum trap

hose barbs at 90°



Z202592

Aldrich® vacuum adapter

female joint: ST/NS 14/20, straight port



Z122394

Aldrich® vacuum adapter

male joint: ST/NS 14/20, side-port



Z202606

Aldrich® vacuum adapter

female joint: ST/NS 24/40, straight port



Z137057

Aldrich® vacuum adapter

male joint: ST/NS 24/40, side-port



Z415685

Aldrich® vacuum adapter

male joint: ST/NS 14/20, straight port



Z415758

Aldrich® vacuum adapter

female joint: ST/NS 29/32, straight port



Z415650

Aldrich® vacuum adapter

male joint: ST/NS 19/22, side-port



Z415677

Aldrich® vacuum adapter

male joint: ST/NS 34/45, side-port



Z415707

Aldrich® vacuum adapter

male joint: ST/NS 24/40, straight port



Z415715

Aldrich® vacuum adapter

male joint: ST/NS 29/32, straight port



Z415669

Aldrich® vacuum adapter

male joint: ST/NS 29/32, side-port



Z415731

Aldrich® vacuum adapter

female joint: ST/NS 19/22, straight port



Z415723

Aldrich® vacuum adapter

male joint: ST/NS 34/45, straight port



Z415693

Aldrich® vacuum adapter

male joint: ST/NS 19/22, straight port



Z552771

Aldrich® vacuum adapter with SafetyBarb® hose connector

side-port, male joint: ST/NS 24/40



Z552798

Aldrich® vacuum adapter with SafetyBarb® hose connector
side-port, male joint: ST/NS 29/32



Z552100

Aldrich® vacuum adapter with SafetyBarb® hose connector
side-port, male joint: ST/NS 14/20



Z552003

Aldrich® vacuum adapter with SafetyBarb® hose connector
straight port, male joint: ST/NS 24/40

Z552011

Aldrich® vacuum adapter with SafetyBarb® hose connector
straight port, male joint: ST/NS 29/32



Z552062

Aldrich® vacuum adapter with SafetyBarb® hose connector
straight port, female joint: ST/NS 24/40



Z551988

Aldrich® vacuum adapter with SafetyBarb® hose connector
straight port, male joint: ST/NS 14/20



Z530689

Aldrich® vacuum manifold with joints
positions, 5, joint: ST/NS 14/20



Z517542

Aldrich® vacuum manifold with joints
positions, 5, joint: ST/NS 29/32



Z530662

Aldrich® vacuum manifold with joints
positions, 3, joint: ST/NS 14/20



Z530700

Aldrich® vacuum manifold with joints
positions, 4, joint: ST/NS 24/40



Z530697

Aldrich® vacuum manifold with joints
positions, 3, joint: ST/NS 24/40



Z517534

Aldrich® vacuum manifold with joints

positions, 4, joint: ST/NS 29/32



Z530670

Aldrich® vacuum manifold with joints

positions, 4, joint: ST/NS 14/20



Z530719

Aldrich® vacuum manifold with joints

positions, 5, joint: ST/NS 24/40



Z225347

Aldrich® vacuum trap

Inlet, straight, O.D. × H 13 mm × 75 mm



Z549452

Aldrich® vacuum trap

Inlet, 90° bend, O.D. × H 35 mm × 250 mm



Z549428

Aldrich® vacuum trap

Inlet, straight, O.D. × H 45 mm × 300 mm



Z549398

Aldrich® vacuum trap

Inlet, straight, O.D. × H 25 mm × 200 mm



Z549444

Aldrich® vacuum trap

Inlet, 90° bend, O.D. × H 25 mm × 200 mm



Z549401

Aldrich® vacuum trap

Inlet, straight, O.D. × H 35 mm × 250 mm



Z549363

Aldrich® vacuum trap

Inlet, 90° bend, O.D. × H 13 mm × 75 mm



Z549436

Aldrich® vacuum trap

Inlet, 90° bend, O.D. × H 25 mm × 150 mm



Z549460

Aldrich® vacuum trap

Inlet, 90° bend, O.D. × H 45 mm × 300 mm

Z552836

Aldrich® vacuum-distilling adapter with SafetyBarb® hose connector

joint: ST/NS 14/20



Z552844

Aldrich® vacuum-distilling adapter with SafetyBarb® hose connector

joint: ST/NS 19/22



Z552852

Aldrich® vacuum-distilling adapter with SafetyBarb® hose connector

joint: ST/NS 24/40



Z203378

Aldrich® vacuum-filtration adapter

male joint: ST/NS 29/32, flange I.D. 38 mm



Z115614

Aldrich® vacuum-filtration adapter

male joint: ST/NS 14/20, flange I.D. 23 mm



Z115630

Aldrich® vacuum-filtration adapter

male joint: ST/NS 24/40, flange I.D. 38 mm



Z115622

Aldrich® vacuum-filtration adapter

male joint: ST/NS 24/40, flange I.D. 31 mm



Z203351

Aldrich® vacuum-filtration adapter

male joint: ST/NS 29/32, flange I.D. 31 mm



Z556416

Aldrich® vacuum-filtration adapter with PTFE stopcock

joint: ST/NS 24/40, flange I.D. 31 mm



Z556394

Aldrich® vacuum-filtration adapter with PTFE stopcock

joint: ST/NS 14/20, flange I.D. 23 mm



Z556424

Aldrich® vacuum-filtration adapter with PTFE stopcock

joint: ST/NS 24/40, flange I.D. 38 mm



Z102598

Aldrich® vacuum-jacketed distilling column

L 300 mm, joint: ST/NS 24/40



Z203335

Aldrich® vacuum-transfer adapter

joint: ST/NS 29/32



Z530255

Aldrich® vacuum-transfer adapter

joint: ST/NS 14/20



Z530263

Aldrich® vacuum-transfer adapter

joint: ST/NS 19/22



Z115746

Aldrich® vacuum-transfer adapter

joint: ST/NS 24/40



Z413194

Aldrich® Vigreux column

Vacuum-jacketed, effective L 75 mm



Z413208

Aldrich® Vigreux column

Vacuum-jacketed, effective L 150 mm



Z413240

Aldrich® Vigreux column

Unjacketed, effective L 150 mm



Z413143

Aldrich® Vigreux column

Unjacketed, effective L 75 mm

Z413151

Aldrich® Vigreux column

Unjacketed, effective L 150 mm



Z413127

Aldrich® Vigreux column

Vacuum-jacketed, effective L 150 mm



Z413178

Aldrich® Vigreux column

Unjacketed, effective L 300 mm



Z413186

Aldrich® Vigreux column

Vacuum-jacketed, effective L 50 mm



Z413259

Aldrich® Vigreux column

Unjacketed, effective L 300 mm



Z413216

Aldrich® Vigreux column

Vacuum-jacketed, effective L 300 mm



Z413135

Aldrich® Vigreux column

Vacuum-jacketed, effective L 300 mm



Z413119

Aldrich® Vigreux column

Vacuum-jacketed, effective L 75 mm



Z556955

Aldrich® West condenser

Overall H 300 mm, joint: ST/NS 24/40



Z556920

Aldrich® West condenser

Overall H 200 mm, joint: ST/NS 24/40



Z556939

Aldrich® West condenser

Overall H 250 mm, joint: ST/NS 24/40



Z556971

Aldrich® West condenser

Overall H 400 mm, joint: ST/NS 24/40



Z556882

Aldrich® West condenser

Overall H 110 mm, joint: ST/NS 14/20



Z556912

Aldrich® West condenser

Overall H 200 mm, joint: ST/NS 19/22



Z100307

Aldrich® West condenser w/ Clear-Seal® joint

joint: ST/NS 19/22, pkg of 1 ea



Z120758

Aldrich® wide-mouth dewar flasks

aluminum housing, capacity 350 mL



Z120669

Aldrich® wide-mouth dewar flasks

plastic mesh housing, capacity 350 mL



Z120782

Aldrich® wide-mouth dewar flasks

plastic mesh housing, capacity 4,300 mL



Z120707

Aldrich® wide-mouth dewar flasks

plastic mesh housing, capacity 1,000 mL



Z120774

Aldrich® wide-mouth dewar flasks

aluminum housing, capacity 665 mL

Z120766

Aldrich® wide-mouth dewar flasks

aluminum housing, capacity 1,900 mL



Z120790

Aldrich® wide-mouth dewar flasks

aluminum housing, capacity 1,000 mL



Z103128

Aldrich® wide-mouth dewar flasks

aluminum housing, capacity 4,300 mL



Z120693

Aldrich® wide-mouth dewar flasks

plastic mesh housing, capacity 665 mL



Z120677

Aldrich® wide-mouth dewar flasks

plastic mesh housing, capacity 1,900 mL



Z418188

Auger for Aldrich® System 45™ powder addition funnel

large



Z418161

Auger for Aldrich® System 45™ powder addition funnel

small



Z324507

BRAND® BLAUBRAND® ETERNA measuring cylinder

volume 1,000 mL



Z324396

BRAND® BLAUBRAND® measuring cylinder

volume 1000 mL, subdivision, 10 mL



Z324779

BRAND® BLAUBRAND® mixing cylinder

volume 1,000 mL



Z324213

BRAND® SILBERBRAND ETERNA measuring cylinder

volume 1000 mL



Z324604

BRAND® SILBERBRAND ETERNA measuring cylinder, low-form

volume 1,000 mL



Z324612

BRAND® SILBERBRAND ETERNA measuring cylinder, low-form

volume 2,000 mL



Z324639

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 25 mL



Z324655

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 100 mL



Z324647

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 50 mL



Z324671

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 500 mL



Z324663

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 250 mL



Z324698

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 1000 mL



Z324620

BRAND® SILBERBRAND ETERNA mixing cylinders

volume 10 mL

Z278785

Bytac® surface protection laminate

size × thickness 12 1/2 in. × 15 ft × 0.003 mm



Z278793

Bytac® surface protection laminate

size × thickness 25 in. × 15 ft × 0.003 mm



Z278750

Bytac® surface protection laminate

size × thickness 12 1/2 in. × 15 ft × 0.254 mm



Z278769

Bytac® surface protection laminate

PTFE, size 25 in. × 15 ft



Z275271

Cannon-Fenske viscometer tube

size 50



Z275336

Cannon-Fenske viscometer tube

size 200



Z275344

Cannon-Fenske viscometer tube

size 300



Z275298

Cannon-Fenske viscometer tube

size 75



Z275301

Cannon-Fenske viscometer tube

size 100



Z275263

Cannon-Fenske viscometer tube

size 25



Z419842

Cap with PTFE liner, 32 mm

solid red cap



Z174254

Catalyst tower

threaded ST/NS: 45/50 joint, glass stopcock, with two hose barbs



Z100625

Closing cap for male-joint

joint: ST/NS 14/20



Z115592

Cold-finger condenser assembly for Macro Diazald[®] kit

joint: ST/NS 24/40



Z220418

Cold-trap for isothermic evaporation

female Joints: ST/NS 14/20 (2)



Z556270

Condenser for Aldrich[®] Soxhlet extractor

joint: ST/NS 45/50



Z556289

Condenser for Aldrich[®] Soxhlet extractor

joint: ST/NS 50/50



Z174548

Cow receiver for Aldrich® micro short-path distillation apparatus

joint: threaded 14/20



Z100250

Diazald® kit with Clear-Seal® joints

joint: ST/NS 19/22



Z419761

Diazald® set with System 45™ compatible connections

Glassware set, complete

Z174564

Distillation flask for Aldrich® micro short-path distillation apparatus

capacity 10 mL



Z100315

Distilling column

L 200 mm, joint: ST/NS 19/22 Clear-Seal joints



Z173479

Double-ended filter with a glass stopcock on each of the two side-arms

capacity 60 mL, male Joints: ST/NS 14/20 (2)



Z167541

Dropping funnel for Aldrich® student glass kit

capacity 50 mL



Z115541

Dropping funnel for Macro Diazald® kit

joint: ST/NS 24/40



Z174246

Drying tower

joint: ST/NS 45/50



Z530492

Drying tubes with joint

joint: ST/NS 19/22



Z530514

Drying tubes with joint

joint: ST/NS 29/32



Z530506

Drying tubes with joint

joint: ST/NS 24/40



Z122491

Drying tubes with joint

joint: ST/NS 14/20



Z556254

Extractor body for Aldrich® Soxhlet extractor

capacity 200 mL, top joint: ST/NS 55/50, bottom joint: ST/NS 24/40



Z556211

Extractor body for Aldrich® Soxhlet extractor

capacity 50 mL, top joint: ST/NS 34/45, bottom joint: ST/NS 24/40



Z556238

Extractor body for Aldrich® Soxhlet extractor

capacity 85 mL, top joint: ST/NS 45/50, bottom joint: ST/NS 24/40



Z556246

Extractor body for Aldrich® Soxhlet extractor

capacity 145 mL, top joint: ST/NS 50/50, bottom joint: ST/NS 24/40



Z173185

Filter funnel with drip-tip and two glass stopcocks, one on side-arm

capacity 75 mL, male joint: ST/NS 14/20, female joint: ST/NS 14/20



Z220140

Filter funnel with drip-tip and two side-arms each equipped with a glass stopcock

joint: ST/NS 14/20 M, capacity 100 mL



Z556300

Flat-bottom flask for Aldrich® Soxhlet extractor

capacity 125 mL, joint: ST/NS 24/40



Z556319

Flat-bottom flask for Aldrich® Soxhlet extractor

capacity 250 mL, joint: ST/NS 24/40



Z511234

Fritted disc for solid-phase peptide synthesis flask

Fine



G1152

Glass beads, acid-washed

710-1,180 µm (16-25 U.S. sieve)

G1152

Glass beads, acid-washed

710-1,180 μm (16-25 U.S. sieve)

G1277

Glass beads, acid-washed

212-300 μm (50-70 U.S. sieve)

G8772

Glass beads, acid-washed

425-600 μm (30-40 U.S. sieve)

Z288241

Glass dry ice trap

pkg of 1 ea

Z681504

Glass stopcock plug, double oblique 4 mm bore, for vacuum manifolds

plug joint: 16.2/56

Z547530

Graduated Valumetric™ bottles

polypropylene cap (with poly-vinyl liner), capacity 30 mL (1 oz)

Z547557

Graduated Valumetric™ bottles

polypropylene cap (with poly-vinyl liner), capacity 125 mL (4 oz)

Z164003

Gravity column

Long

Z163961

Gravity column

Short

Z163988

Gravity column

Long

Z229598

Hex-head stopper

Plain, joint: ST/NS 29/26



Z122483

Hex-head stopper

Plain, joint: ST/NS 14/20



Z549673

High-vacuum valve adapter

male joint: ST/NS 14/20



Z549681

High-vacuum valve adapter

male joint: ST/NS 19/22



Z549703

High-vacuum valve adapter

male joint: ST/NS 24/40



Z549711

High-vacuum valve adapter

male joint: ST/NS 29/32



Z203793

Inside finger for Aldrich® cold-trap with ball joints

For Z121517



Z103071

Jacketed addition funnel

capacity 250 mL, joint: ST/NS 24/40



Z117420

Jacketed addition funnel with pressure-equalization arm

capacity 250 mL



Z202746

Jacketed beaker

Z202738

Jacketed beaker



Z516163

Jacketed falling-film distillation head

Overall L 580 mm, O.D. 57 mm, Joints: ST/NS 24/40 (6)



Z247774

Jacketed head for Aldrich® micro short-path distillation apparatus

pkg of 1 ea



Z150215

Kilo-Lab® transfer lines

brass valve,
needle valve Luer lock



Z256633

Kontes® Williamson microscale glassware kit

Basic kit



Z100501

Kugelrohr glassware set

for standard capacity



Z517720

Large-capacity addition funnel

capacity 2 L, joint: ST/NS 29/32



Z517712

Large-capacity addition funnel

capacity 1 L, joint: ST/NS 29/32



Z101532

Large-capacity addition funnel

capacity 1 L, joint: ST/NS 24/40



Z101540

Large-capacity addition funnel

capacity 2 L, joint: ST/NS 24/40



Z510378

Liebig condenser

joint: ST/NS 14/20, with two quick-disconnects



Z748250

Load flask for Aldrich® Kugelrohr apparatus

capacity 250 mL, joint: ST/NS 24/40



Z748269

Load flask for Aldrich® Kugelrohr apparatus

capacity 500 mL, joint: ST/NS 24/40



Z748285

Load flask for Aldrich® Kugelrohr apparatus

capacity 2000 mL, joint: ST/NS 24/40



Z748277

Load flask for Aldrich® Kugelrohr apparatus

capacity 1000 mL, joint: ST/NS 24/40



Z748196

Load flask for Aldrich® Kugelrohr apparatus

capacity 25 mL, joint: ST/NS 14/20



Z748218

Load flask for Aldrich® Kugelrohr apparatus

capacity 50 mL, joint: ST/NS 14/20



Z748226

Load flask for Aldrich® Kugelrohr apparatus

capacity 100 mL, joint: ST/NS 14/20



Z748242

Load flask for Aldrich® Kugelrohr apparatus

capacity 500 mL, joint: ST/NS 14/20



Z748234

Load flask for Aldrich® Kugelrohr apparatus

capacity 250 mL, joint: ST/NS 14/20

Z108510

Macro Diazald® kits

joint: ST/NS 24/40 Clear-Seal joints



Z189928

Mercury collector replacement pads

pkg of 12 ea



Z516198

Metals / metal hydrides test kit

for determining reagent purities



Z202509

Mini Diazald® apparatus

joint: ST/NS 19/26 Clear-Seal joints, for generating 1 to 50 mmol of diazomethane



Z108898

Mini Diazald® apparatus

joint: ST/NS 19/22 Clear-Seal joints, for generating 1 to 50 mmol of diazomethane



Z223336

Multi-purpose distillation head

Overall H 415 mm, joint: ST/NS 29/32



Z223328

Multi-purpose distillation head

joint: ST/NS 24/40, Overall H 430 mm



Z516333

Multi-purpose distillation head

joint: ST/NS 14/20, Overall H 230 mm



Z562645

Open-edged fritted disc porosity assortment pack for VerSAfunnels™

disc diam. 24 mm



Z532118

PTFE-coated sealed ring for Aldrich® adapters with Torion™ connection

I.D. 5/16 in.



Z508233

Quick-release clamps

without extension, for flange 100 mm



Z173231

Reaction and storage flask, Kjeldahl, with glass stopcock on side-arm

capacity 25 mL, female joint: ST/NS 14/20



Z173266

Reaction and storage flask, Kjeldahl, with glass stopcock on side-arm

capacity 100 mL, female joint: ST/NS 14/20



Z173258

Reaction and storage flask, Kjeldahl, with glass stopcock on side-arm

capacity 50 mL, female joint: ST/NS 14/20



Z173223

Reaction and storage tube with glass stopcock on side-arm
capacity 50 mL, female joint: ST/NS 14/20



Z173126

Reaction and storage tube with glass stopcock on side-arm
capacity 25 mL, female joint: ST/NS 14/20



Z220302

Reaction flask with glass stopcock on side-arm
capacity 100 mL, male joint: ST/NS 14/20



Z220264

Reaction flask with glass stopcock on side-arm
capacity 25 mL, male joint: ST/NS 14/20



Z220280

Reaction flask with glass stopcock on side-arm
capacity 50 mL, male joint: ST/NS 14/20



Z174556

Recover flask for Aldrich® micro short-path distillation apparatus
capacity 5 mL

Z173363

Recrystallizer
male Joints: ST/NS 14/20 (4), porosity 25-50 µm



Z566462

Replacement cylinder adapter for Aldrich® Sure/Pac™ station
1/4 in. NPTF x JIC flare



Z769053

Replacement foam insert for Aldrich® glassware kit Z166898
pack of 1 ea



Z683701

Replacement jar for Aldrich® rotary evaporator adapter
capacity 200 mL



Z764795

Replacement Part A for Aldrich® liquid-liquid extractor Z562416
pack of 1 ea



Z764809

Replacement Part A for Aldrich® liquid-liquid extractor Z562424
pack of 1 ea



Z764817

Replacement Part A for Aldrich® liquid-liquid extractor Z562432

pack of 1 ea



Z764825

Replacement Part A for Aldrich® liquid-liquid extractor Z562440



Z764833

Replacement Part A for Aldrich® liquid-liquid extractor Z562459

pack of 1 ea



Z764841

Replacement Part A for Aldrich® liquid-liquid extractor Z562467

pack of 1 ea



Z224863

Replacement stopper for Aldrich® combustion apparatus

Replacement stopper



Z510416

Round-bottom flask

capacity 50 mL



Z510424

Round-bottom flask

capacity 100 mL



Z167495

Round-bottom flask for Aldrich® student glass kit

for Z166898, capacity 100 mL



Z167479

Round-bottom flask for Aldrich® student glass kit

for Z166898, capacity 25 mL



Z167487

Round-bottom flask for Aldrich® student glass kit

for Z166898, capacity 50 mL



Z515728

Schlenk Kjeldahl reaction and storage flask

female joint: ST/NS 24/40, capacity 100 mL



Z515833

Schlenk Kjeldahl reaction and storage flask

male joint: ST/NS 24/40, capacity 250 mL



Z515701

Schlenk Kjeldahl reaction and storage flask

female joint: ST/NS 14/20, capacity 100 mL



Z515671

Schlenk Kjeldahl reaction and storage flask

female joint: ST/NS 14/20, capacity 25 mL

Z515736

Schlenk Kjeldahl reaction and storage flask

female joint: ST/NS 29/32, capacity 100 mL



Z515779

Schlenk Kjeldahl reaction and storage flask

male joint: ST/NS 14/20, capacity 25 mL



Z515787

Schlenk Kjeldahl reaction and storage flask

male joint: ST/NS 14/20, capacity 50 mL



Z515752

Schlenk Kjeldahl reaction and storage flask

capacity 250 mL, female joint: ST/NS 24/40



Z515809

Schlenk Kjeldahl reaction and storage flask

male joint: ST/NS 24/40, capacity 100 mL



Z515698

Schlenk Kjeldahl reaction and storage flask

female joint: ST/NS 14/20, capacity 50 mL



Z515744

Schlenk Kjeldahl reaction and storage flask

capacity 250 mL, female joint: ST/NS 14/20



Z516031

Schlenk reaction and storage tube

female joint: ST/NS 29/32, capacity 100 mL



Z515981

Schlenk reaction and storage tube

female joint: ST/NS 14/20, capacity 25 mL



Z516112

Schlenk reaction and storage tube

male joint: ST/NS 24/40, capacity 100 mL



Z516120

Schlenk reaction and storage tube

male joint: ST/NS 29/32, capacity 100 mL



Z516023

Schlenk reaction and storage tube

female joint: ST/NS 24/40, capacity 100 mL



Z516058

Schlenk reaction and storage tube

female joint: ST/NS 14/20, capacity 250 mL



Z516074

Schlenk reaction and storage tube

female joint: ST/NS 29/32, capacity 250 mL



Z516015

Schlenk reaction and storage tube

female joint: ST/NS 14/20, capacity 100 mL



Z516066

Schlenk reaction and storage tube

female joint: ST/NS 24/40, capacity 250 mL



Z516104

Schlenk reaction and storage tube

male joint: ST/NS 14/20, capacity 100 mL



Z516155

Schlenk reaction and storage tube

male joint: ST/NS 29/32, capacity 250 mL



Z516007

Schlenk reaction and storage tube

female joint: ST/NS 14/20, capacity 50 mL



Z516082

Schlenk reaction and storage tube

male joint: ST/NS 14/20, capacity 25 mL

Z516090

Schlenk reaction and storage tube

male joint: ST/NS 14/20, capacity 50 mL



Z220434

Sealing tube

capacity 15 mL, female joint: ST/NS 14/20



Z100382

Separatory funnel with PTFE stopcock and 19/22 Clear-Seal® joint

capacity 125 mL



Z219789

Single-bulb ball-tube

capacity 250 mL, joint: ST/NS 14/20, w/drip-tip



Z219754

Single-bulb ball-tube

capacity 25 mL, joint: ST/NS 14/20, w/drip-tip



Z219770

Single-bulb ball-tube

capacity 100 mL, joint: ST/NS 14/20, w/drip-tip



Z100587

Single-bulb ball-tube

capacity 50 mL, joint: ST/NS 14/20, plain



Z219797

Single-bulb ball-tube

capacity 500 mL, joint: ST/NS 14/20, w/drip-tip



Z219746

Single-bulb ball-tube

capacity 10 mL, joint: ST/NS 14/20, w/drip-tip



Z100595

Single-bulb ball-tube

capacity 100 mL, joint: ST/NS 14/20, plain



Z219827

Single-bulb ball-tube

capacity 1,000 mL, joint: ST/NS 24/40, w/drip-tip



Z100579

Single-bulb ball-tube

capacity 25 mL, joint: ST/NS 14/20, plain



Z101915

Single-bulb ball-tube

capacity 250 mL, joint: ST/NS 24/40, plain



Z101931

Single-bulb ball-tube

capacity 1,000 mL, joint: ST/NS 24/40, plain



Z219800

Single-bulb ball-tube

capacity 250 mL, joint: ST/NS 24/40, w/drip-tip



Z100617

Single-bulb ball-tube

capacity 500 mL, joint: ST/NS 14/20, plain



Z101923

Single-bulb ball-tube

capacity 500 mL, joint: ST/NS 24/40, plain



Z219762

Single-bulb ball-tube

capacity 50 mL, joint: ST/NS 14/20, w/drip-tip



Z219819

Single-bulb ball-tube

capacity 500 mL, joint: ST/NS 24/40, w/drip-tip



Z100609

Single-bulb ball-tube

capacity 250 mL, joint: ST/NS 14/20, plain

Z174459

Standard head for short-path distillation apparatus



Z380083

Steri Sterilizer replacement glass beads

for Steri 350



Z549592

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 29/32



Z549606

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 14/20



Z549584

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 24/40



Z549630

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 29/32



Z549746

Stopcock Adapter

straight glass stopcock, joint: ST/NS 34/45



Z549568

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 14/20



Z549533

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 24/40



Z549525

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 19/22



Z549576

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 19/22



Z549479

Stopcock Adapter

straight glass stopcock, joint: ST/NS 14/20



Z549495

Stopcock Adapter

straight glass stopcock, joint: ST/NS 24/40



Z549517

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 14/20



Z549622

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 24/40



Z549509

Stopcock Adapter

straight glass stopcock, joint: ST/NS 29/32



Z549541

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 29/32



Z549487

Stopcock Adapter

straight glass stopcock, joint: ST/NS 19/22



Z764566

Stopcock Adapter

2 mm PTFE stopcock, bent, joint: ST/NS 14/20



Z764590

Stopcock Adapter

2 mm PTFE stopcock, bent, joint: ST/NS 29/32

Z174459

Standard head for short-path distillation apparatus



Z380083

Steri Sterilizer replacement glass beads

for Steri 350



Z549592

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 29/32



Z549606

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 14/20



Z549584

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 24/40



Z549630

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 29/32



Z549746

Stopcock Adapter

straight glass stopcock, joint: ST/NS 34/45



Z549568

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 14/20



Z549533

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 24/40



Z549525

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 19/22



Z549576

Stopcock Adapter

glass side-port stopcock, joint: ST/NS 19/22



Z549479

Stopcock Adapter

straight glass stopcock, joint: ST/NS 14/20



Z549495

Stopcock Adapter

straight glass stopcock, joint: ST/NS 24/40



Z549517

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 14/20



Z549622

Stopcock Adapter

PTFE side-port stopcock, joint: ST/NS 24/40



Z549509

Stopcock Adapter

straight glass stopcock, joint: ST/NS 29/32



Z549541

Stopcock Adapter

straight PTFE stopcock, joint: ST/NS 29/32



Z549487

Stopcock Adapter

straight glass stopcock, joint: ST/NS 19/22



Z764566

Stopcock Adapter

2 mm PTFE stopcock, bent, joint: ST/NS 14/20



Z764590

Stopcock Adapter

2 mm PTFE stopcock, bent, joint: ST/NS 29/32

Z119083

Straight tube

joint: ST/NS 24/40



Z100528

Straight tube

joint: ST/NS 14/20



SYNS312044

Synthware™ T-bore glass stopcock Entire assembly

bore size 6 mm, plug size 20/44



SYNS310217

Synthware™ T-bore glass stopcock Entire assembly

bore size 2 mm, plug size 12/30



SYNS311740

Synthware™ T-bore glass stopcock Entire assembly

bore size 4 mm, plug size 17/40



Z417432

System 45™ quick-disconnect fittings

pkg of 10 ea



Z418862

System 45™ vessel with threaded side port and removable fritted disc

capacity ~125 mL, Complete



Z418560

System 45™ vessel with threaded side port and removable fritted disc

capacity ~20 mL, Complete



Z567663

The Alchemist's Retort

pkg of 1 ea



Z167568

Thermometer adapter

male joint: ST/NS 14/20



Z554979

Threaded connector for Aldrich® Buchner VerSAfunnels™

for 600mL and 1,500mL



Z554952

Threaded connector for Aldrich® Buchner VerSAfunnels™

for 30mL and 60mL



Z554960

Threaded connector for Aldrich® Buchner VerSAfunnels™

for 140mL and 350mL



Z167509

Three-neck round-bottom flask for Aldrich® student glass kit

For Z166898



Z173320

Three-way adapter

male Joints: ST/NS 14/20 (2), female joint: ST/NS 14/20



Z167452

Three-way adapter, 75° angle

male Joints: ST/NS 14/20 (2), female joint: ST/NS 14/20



Z531901

Tubing adapter with Torion™ connection and stopcock

O.D. 1/2 in., PTFE stopcock, male joint: ST/NS 24/40



Z531871

Tubing adapter with Torion™ connection and stopcock

O.D. 5/16 in., PTFE stopcock, male joint: ST/NS 24/40



Z531898

Tubing adapter with Torion™ connection and stopcock

O.D. 5/16 in., PTFE stopcock, male joint: ST/NS 29/32



Z531626

Tubing Adapters with Torion™ Connection

Straight, O.D. 3/16 in., male joint: ST/NS 14/20

Алматы (7273)495-231
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Саранск (8342)22-96-24
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97

Тверь (4822)63-31-35
Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +7(7172)727-132

Киргизия +996(312)96-26-47

www.sigmaaldrich.nt-rt.ru | | scx@nt-rt.ru